


Product datasheet

Anti-ARPC4 antibody ab80502

[1 References](#) [1 Image](#)

Overview

Product name	Anti-ARPC4 antibody
Description	Goat polyclonal to ARPC4
Host species	Goat
Specificity	ab80502 is expected to recognise isoform a (NP_005709.1).
Tested applications	Suitable for: ELISA, WB
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat, Cow, Pig, Xenopus laevis, Zebrafish 
Immunogen	Synthetic peptide: C-ERHMKPEVEVR , corresponding to internal sequence amino acids 31 - 41 of Human ARPC4 (NP_005709.1) Run BLAST with Run BLAST with
Positive control	Human lymph node lysate.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	Preservative: 0.02% Sodium Azide Constituents: 0.5% BSA, Tris saline, pH 7.3
Purity	Immunogen affinity purified
Purification notes	ab80502 was purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab80502** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ELISA		Use at an assay dependent concentration. Peptide ELISA: antibody detection limit dilution 1/64000.
WB		Use a concentration of 0.01 - 0.03 µg/ml. Predicted molecular weight: 20 kDa.

Target

Function	Functions as actin-binding component of the Arp2/3 complex which is involved in regulation of actin polymerization and together with an activating nucleation-promoting factor (NPF) mediates the formation of branched actin networks. Seems to contact the mother actin filament.
Sequence similarities	Belongs to the ARPC4 family.
Cellular localization	Cytoplasm > cytoskeleton. Cell projection.

Images



Anti-ARPC4 antibody (ab80502) at 0.03 µg/ml
+ human lymph node lysate (in RIPA buffer) at
35 µg

Predicted band size: 20 kDa

Observed band size: 19 kDa

Primary incubation was 1 hour.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors