abcam

Product datasheet

Anti-ATTY antibody [EPR6121] ab125000



RabMAb

1 References 3 Images

Overview

Product name Anti-ATTY antibody [EPR6121]

Description Rabbit monoclonal [EPR6121] to ATTY

Host species Rabbit

Tested applications Suitable for: WB, IHC-P, ICC

Unsuitable for: Flow Cyt or IP

Species reactivity Reacts with: Mouse, Rat, Human

Immunogen Synthetic peptide, corresponding to residues in Human ATTY.

Positive control HepG2 (treated with insulin), HepG2, and A549 cell lysates; Human brain tissue.

General notes

Our RabMAb[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMab[®] patents


This product is a recombinant rabbit monoclonal antibody.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

Dissociation constant (K_D) $K_D = 4.19 \times 10^{-11} M$



Learn more about K_D

Storage buffer pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 49% PBS, 50% Glycerol, 0.05% BSA

Purity Tissue culture supernatant

Clonality Monoclonal

1

Clone number EPR6121

Isotype IgG


Applications

Our Abpromise guarantee covers the use of **ab125000** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application Ab	oreviews	Notes
WB		1/1000 - 1/10000. Detects a band of approximately 50 kDa (predicted molecular weight: 50 kDa).
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval before commencing with IHC staining protocol. Heat up to 98 degrees C, below boiling, and then let cool for 10-20 min.
ICC		1/50 - 1/100.
Application note	es	Is unsuitable for Flow Cyt or IP.
Target		
Function		Transaminase involved in tyrosine breakdown. Converts tyrosine to p-hydroxyphenylpyruvate. Can catalyze the reverse reaction, using glutamic acid, with 2-oxoglutarate as cosubstrate (in vitro). Has no transaminase activity towards phenylalanine.
Pathway		Amino-acid degradation; L-phenylalanine degradation; acetoacetate and fumarate from L-phenylalanine: step 2/6.
nvolvement in c	lisease	Defects in TAT are the cause of tyrosinemia type 2 (TYRO2) [MIM:276600]; also known as Richner-Hanhart syndrome. TYRO2 is an inborn error of metabolism characterized by elevations of tyrosine in the blood and urine, and oculocutaneous manifestations. Typical features include palmoplantar keratosis, painful corneal ulcers, and mental retardation.
Sequence similarities		Belongs to the class-I pyridoxal-phosphate-dependent aminotransferase family.

Images



Western blot - Anti-ATTY antibody [EPR6121] (ab125000)

All lanes : Anti-ATTY antibody [EPR6121] (ab125000) at 1/1000 dilution

Lane 1 : HepG2 cell lysate, treated with insulin

Lane 2: HepG2 cell lysate, untreated

Lane 3: A549 cell lysate


Lysates/proteins at 10 µg per lane.

Secondary

All lanes: Goat anti-Rabbit HRP at 1/2000


dilution

Predicted band size: 50 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-ATTY antibody
[EPR6121] (ab125000)

ab125000 at 1/50 dilution staining ATTY in paraffin-embedded Human brain tissue by Immunohistochemistry.



Equilibrium disassociation constant (K_D) Learn more about K_D

Click here to learn more about K_D

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit http://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors