

Product datasheet

Anti-Acetyl Coenzyme A Carboxylase (phospho S221) antibody [EPR3143Y] ab109540

Recombinant **RabMAB**

3 Images

Overview

Product name	Anti-Acetyl Coenzyme A Carboxylase (phospho S221) antibody [EPR3143Y]
Description	Rabbit monoclonal [EPR3143Y] to Acetyl Coenzyme A Carboxylase (phospho S221)
Host species	Rabbit
Specificity	The immunogen used for this product shares 100% homology with ACACB. Cross-reactivity with this protein has not been confirmed experimentally.
Tested applications	Suitable for: WB, IP, IHC-P, ICC Unsuitable for: Flow Cyt
Species reactivity	Reacts with: Human
Immunogen	Synthetic peptide (the amino acid sequence is considered to be commercially sensitive) corresponding to Human Acetyl Coenzyme A Carboxylase.
Positive control	HeLa cell lysate treated with calyculin A; Human muscles.
General notes	This product is a recombinant rabbit monoclonal antibody. Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with these species. Please contact us for more information. Our RabMAB [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMab[®] patents

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.
Storage buffer	PBS 49%,Sodium azide 0.01%,Glycerol 50%,BSA 0.05%
Purity	Tissue culture supernatant
Clonality	Monoclonal
Clone number	EPR3143Y
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab109540** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		1/1000 - 1/10000. Predicted molecular weight: 277 kDa.
IP		1/10.
IHC-P		1/100 - 1/250. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
ICC		1/100.

Application notes Is unsuitable for Flow Cyt.

Target

Function	Catalyzes the rate-limiting reaction in the biogenesis of long-chain fatty acids. Carries out three functions: biotin carboxyl carrier protein, biotin carboxylase and carboxyltransferase.
Tissue specificity	Expressed in brain, placental, skeletal muscle, renal, pancreatic and adipose tissues; expressed at low level in pulmonary tissue; not detected in the liver.
Pathway	Lipid metabolism; malonyl-CoA biosynthesis; malonyl-CoA from acetyl-CoA: step 1/1.
Involvement in disease	Acetyl-CoA carboxylase 1 deficiency
Sequence similarities	Contains 1 ATP-grasp domain. Contains 1 biotin carboxylation domain. Contains 1 biotinyl-binding domain. Contains 1 carboxyltransferase domain.
Post-translational modifications	Phosphorylation on Ser-1263 is required for interaction with BRCA1.
Cellular localization	Cytoplasm.

Images



All lanes : Anti-Acetyl Coenzyme A Carboxylase (phospho S221) antibody [EPR3143Y] (ab109540) at 1/1000 dilution

Lane 1 : Untreated HeLa (human cervix adenocarcinoma) whole cell lysates

Lane 2 : HeLa (human cervix adenocarcinoma) cells were treated with Calyculin A whole cell lysates

Lane 3 : HeLa (human cervix adenocarcinoma) cells were treated with Calyculin A whole cell lysates. Then the membrane was incubated with Alkaline phosphatase.

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) (ab97051) at 1/20000 dilution

Predicted band size: 277 kDa

Observed band size: 265 kDa


Exposure time: 3 minutes

Blocking/Diluting buffer: 5% NFDm/TBST



ab109540, at 1/100 dilution, staining paraffin-embedded Human muscles by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Acetyl Coenzyme A Carboxylase (phospho S221) antibody [EPR3143Y] (ab109540)



Western blot - Acetyl Coenzyme A Carboxylase
(phospho S221) antibody [EPR3143Y] (ab109540)

All lanes : Anti-Acetyl Coenzyme A
Carboxylase (phospho S221) antibody
[EPR3143Y] (ab109540) at 1/5000 dilution

Lane 1 : HeLa cell lysate, untreated

Lane 2 : HeLa cell lysate treated with calyculin
A

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP-labelled goat anti-rabbit at
1/2000 dilution

Predicted band size: 277 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors