

Product datasheet

Anti-Bak antibody [AT38E2] ab104124

★★★★☆ 2 Abreviews 3 References 3 Images

Overview

Product name	Anti-Bak antibody [AT38E2]
Description	Mouse monoclonal [AT38E2] to Bak
Host species	Mouse
Tested applications	Suitable for: WB, ELISA, ICC/IF
Species reactivity	Reacts with: Mouse, Human
Immunogen	Recombinant fragment corresponding to amino acids 29-187 of Human Bak, purified from E. coli.
Positive control	Mouse lung lysate; HeLa cells

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
Storage buffer	Preservative: 0.1% Sodium Azide Constituents: PBS, pH 7.4
Purity	Protein A purified
Clonality	Monoclonal
Clone number	AT38E2
Isotype	IgG2a
Light chain type	kappa

Applications

Our [Abpromise guarantee](#) covers the use of **ab104124** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB	★★★★☆	1/250 - 1/500. Predicted molecular weight: 23 kDa.

Application	Abreviews	Notes
ELISA		1/250.
ICC/IF		1/250 - 1/500.

Target

Function	In the presence of an appropriate stimulus, accelerates programmed cell death by binding to, and antagonizing the anti-apoptotic action of BCL2 or its adenovirus homolog E1B 19k protein. Low micromolar levels of zinc ions inhibit the promotion of apoptosis.
Tissue specificity	Expressed in a wide variety of tissues, with highest levels in the heart and skeletal muscle.
Sequence similarities	Belongs to the Bcl-2 family.
Domain	Intact BH3 motif is required by BIK, BID, BAK, BAD and BAX for their pro-apoptotic activity and for their interaction with anti-apoptotic members of the Bcl-2 family.
Cellular localization	Mitochondrion membrane.

Images




Lane 1: Wild-type HAP1 whole cell lysate (20 µg)

Lane 2: BAK knockout HAP1 whole cell lysate (20 µg)

Lanes 1 - 2: Merged signal (red and green). Green - ab104124 observed at 0 kDa. Red - loading control, ab181602, observed at 37 kDa.

ab104124 was found to be non-specific when BAK knockout samples were used. Wild-type and BAK knockout samples were subjected to SDS-PAGE. Ab104124 and ab181602 (Rabbit anti-GAPDH loading control) were incubated overnight at 4°C at 1/250 dilution and 1/20000 dilution respectively. Blots were developed with Goat anti-Mouse IgG H&L (IRDye® 800CW) preabsorbed ab216772 and Goat anti-Rabbit IgG H&L (IRDye® 680RD) preabsorbed ab216777 secondary antibodies at 1/20000 dilution for 1 hour at room temperature before imaging.



Western blot - Anti-Bak antibody [AT38E2]
(ab104124)


Anti-Bak antibody [AT38E2] (ab104124) at
1/500 dilution + Mouse lung lysate at 35 µg

Secondary

Goat anti-mouse HRP conjugate

Developed using the ECL technique.

Predicted band size: 23 kDa



Immunocytochemistry/ Immunofluorescence - Anti-
Bak antibody [AT38E2] (ab104124)

Immunofluorescence staining of Bak in HeLa
cells using Hoechst 3342 (Blue) for nucleus
staining and ab104124 antibody (1/500) with
Texas Red (Red).

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors