

Product datasheet

Anti-CD109 antibody [B-E47] ab47169

1 Image

Overview

Product name	Anti-CD109 antibody [B-E47]
Description	Mouse monoclonal [B-E47] to CD109
Host species	Mouse
Tested applications	Suitable for: Flow Cyt
Species reactivity	Reacts with: Human
Immunogen	Eahy 926 cell line
Positive control	Eahy 926 cell line

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
Storage buffer	Preservative: None Constituents: PBS
Purity	Ion Exchange Chromatography
Purification notes	Sterile-filtered through 0.22 µm and treated to remove endotoxins. Carrier and preservative free
Clonality	Monoclonal
Clone number	B-E47
Myeloma	x63-Ag8.653
Isotype	IgG1

Applications

Our [Abpromise guarantee](#) covers the use of **ab47169** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
-------------	-----------	-------

Application	Abreviews	Notes
-------------	-----------	-------

Flow Cyt

Use at an assay dependent concentration.

[ab170190](#) - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

Target

Function

Modulates negatively TGFB1 signaling in keratinocytes.

Tissue specificity

Widely expressed with high level in uterus, aorta, heart, lung, trachea, placenta and in fetal heart, kidney, liver, spleen and lung. Expressed by CD34(+) acute myeloid leukemia cell lines, T-cell lines, activated T-lymphoblasts, endothelial cells and activated platelets. Isoform 5 is expressed in placenta. Isoform 1 is expressed in keratinocytes and placenta.

Sequence similarities

Belongs to the protease inhibitor I39 (alpha-2-macroglobulin) family.

Post-translational modifications


N-glycosylated.

2 forms of 150 (p150) and 120 kDa (p120) exist due to proteolytic degradation from a 180 kDa form.

Cellular localization

Cell membrane.

Images



A typical staining pattern with ab47169 of Eahy 926 cell line

Flow Cytometry - Anti-CD109 antibody [B-E47]
(ab47169)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors