

Product datasheet

Anti-CD22 antibody [MEM-01], prediluted (Phycoerythrin) ab27548

1 Image

Overview

<b>Product name</b>	Anti-CD22 antibody [MEM-01], prediluted (Phycoerythrin)
<b>Description</b>	Mouse monoclonal [MEM-01] to CD22, prediluted (Phycoerythrin)
<b>Host species</b>	Mouse
<b>Conjugation</b>	Phycoerythrin. Ex: 488nm, Em: 575nm
<b>Specificity</b>	ab27548 recognises CD22.
<b>Tested applications</b>	<b>Suitable for:</b> Flow Cyt
<b>Species reactivity</b>	<b>Reacts with:</b> Human <b>Predicted to work with:</b> Non human primates ▲
<b>Immunogen</b>	Burkitt's lymphoma cell line Raji.

Properties

<b>Form</b>	Prediluted
<b>Storage instructions</b>	Shipped at 4°C. Store at +4°C.
<b>Storage buffer</b>	Preservative: 15mM Sodium Azide Constituents: 0.2% high-grade protease free BSA, PBS
<b>Purity</b>	IgG fraction
<b>Clonality</b>	Monoclonal
<b>Clone number</b>	MEM-01
<b>Isotype</b>	IgG1

Applications

Our [Abpromise guarantee](#) covers the use of **ab27548** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
-------------	-----------	-------

Flow Cyt

**Application notes**

Flow Cyt: Use 20µl for 10<sup>6</sup> cells or 100µl of whole blood.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

**Target**

**Function**

Mediates B-cell B-cell interactions. May be involved in the localization of B-cells in lymphoid tissues. Binds sialylated glycoproteins; one of which is CD45. Preferentially binds to alpha-2,6-linked sialic acid. The sialic acid recognition site can be masked by cis interactions with sialic acids on the same cell surface. Upon ligand induced tyrosine phosphorylation in the immune response seems to be involved in regulation of B-cell antigen receptor signaling. Plays a role in positive regulation through interaction with Src family tyrosine kinases and may also act as an inhibitory receptor by recruiting cytoplasmic phosphatases via their SH2 domains that block signal transduction through dephosphorylation of signaling molecules.

**Tissue specificity**

B-lymphocytes.

**Sequence similarities**

Belongs to the immunoglobulin superfamily. SIGLEC (sialic acid binding Ig-like lectin) family. Contains 6 Ig-like C2-type (immunoglobulin-like) domains. Contains 1 Ig-like V-type (immunoglobulin-like) domain.

**Domain**

Contains 4 copies of a cytoplasmic motif that is referred to as the immunoreceptor tyrosine-based inhibitor motif (ITIM). This motif is involved in modulation of cellular responses. The phosphorylated ITIM motif can bind the SH2 domain of several SH2-containing phosphatases.

**Post-translational modifications**


Phosphorylation of Tyr-762, Tyr-807 and Tyr-822 are involved in binding to SYK, GRB2 and SYK, respectively. Phosphorylation of Tyr-842 is involved in binding to SYK, PLCG2 and PIK3R1/PIK3R2.

Phosphorylated on tyrosine residues by LYN.

**Cellular localization**

Cell membrane.

**Images**



ab27548 staining CD22 on human peripheral blood cells. Cell population was gated on lymphocytes.

Flow Cytometry - CD22 antibody [MEM-01]  
(Phycoerythrin), prediluted (ab27548)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors