

## Product datasheet

# Anti-CENPC antibody ab107068

1 Image

### Overview

|                            |  |
|----------------------------|--|
| <b>Product name</b>        | Anti-CENPC antibody  |
| <b>Description</b>         | Rabbit polyclonal to CENPC   |
| <b>Tested applications</b> | <b>Suitable for:</b> WB  |
| <b>Species reactivity</b>  | <b>Reacts with:</b> Human  |
| <b>Immunogen</b>           | Synthetic peptide conjugated to KLH, corresponding to internal sequence amino acids 448-475 of Human CENPC (NP_001803.2) |
| <b>Positive control</b>    | Jurkat cell line lysates   |

### Properties

|                             |  |
|-----------------------------|--|
| <b>Form</b>                 | Liquid   |
| <b>Storage instructions</b> | Shipped at 4°C. Store at 4°C (up to 6 months). Store at -20°C long term.                         |
| <b>Storage buffer</b>       | Preservative: 0.09% Sodium Azide<br>Constituents: PBS  |
| <b>Purity</b>               | Immunogen affinity purified  |
| <b>Purification notes</b>   | This antibody is purified through a protein A column, followed by peptide affinity purification. |
| <b>Clonality</b>            | Polyclonal   |
| <b>Isotype</b>              | IgG  |

### Applications

Our [Abpromise guarantee](#) covers the use of **ab107068** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes   |
|-------------|-----------|---|
| WB          |           | 1/100 - 1/500. Predicted molecular weight: 107 kDa. |

### Target

|                              |  |
|------------------------------|--|
| <b>Function</b>              | Component of the CENPA-NAC (nucleosome-associated) complex, a complex that plays a central role in assembly of kinetochore proteins, mitotic progression and chromosome segregation. The CENPA-NAC complex recruits the CENPA-CAD (nucleosome distal) complex and may be involved in incorporation of newly synthesized CENPA into centromeres. CENPC recruits DNA methylation and DNMT3B to both centromeric and pericentromeric satellite repeats and regulates the histone code in these regions. |
| <b>Sequence similarities</b> | Belongs to the CENPC family.   |
| <b>Domain</b>                | The MIF2 homology domain II targets centromeres and binds the alpha satellite DNA in vivo. The MIF2 homology domain III can induce CENPC dimerization/oligomerization.   |
| <b>Cellular localization</b> | Nucleus. Chromosome > centromere > kinetochore. Localizes exclusively in the kinetochore domain of centromeres.  |

## Images



Anti-CENPC antibody (ab107068) at 1/100 dilution + Jurkat cell line lysates at 35 µg

**Predicted band size : 107 kDa**

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors