

Product datasheet

Anti-Caspase-3 antibody ab44976

★★★★☆ 3 Abreviews 35 References 2 Images

Overview

Product name	Anti-Caspase-3 antibody
Description	Rabbit polyclonal to Caspase-3
Host species	Rabbit
Specificity	Ab44976 does not recognize the p12 or p17 activated forms of caspase-3.
Tested applications	Suitable for: IP, IHC-P, WB, ICC/IF, IHC-Fr
Species reactivity	Reacts with: Mouse, Rat, Rabbit, Human, Monkey
Immunogen	Recombinant full length protein corresponding to Human Caspase-3. Database link: P42574
Positive control	Jurkat cells. Tonsil.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.40 Preservative: 0.1% Sodium azide Constituents: 0.01% PBS, 0.2% BSA
Purity	Protein A purified
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab44976** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
IP		1/2000.

Application	Abreviews	Notes
IHC-P	★★★★☆	1/1000.
WB		1/500. Predicted molecular weight: 32 kDa.
ICC/IF		Use at an assay dependent concentration. PubMed: 20664058
IHC-Fr	★★★★☆	Use at an assay dependent concentration. See Abreviews

Target

Function	Involved in the activation cascade of caspases responsible for apoptosis execution. At the onset of apoptosis it proteolytically cleaves poly(ADP-ribose) polymerase (PARP) at a '216-Asp-Gly-217' bond. Cleaves and activates sterol regulatory element binding proteins (SREBPs) between the basic helix-loop-helix leucine zipper domain and the membrane attachment domain. Cleaves and activates caspase-6, -7 and -9. Involved in the cleavage of huntingtin.
Tissue specificity	Highly expressed in lung, spleen, heart, liver and kidney. Moderate levels in brain and skeletal muscle, and low in testis. Also found in many cell lines, highest expression in cells of the immune system.
Sequence similarities	Belongs to the peptidase C14A family.
Post-translational modifications	Cleavage by granzyme B, caspase-6, caspase-8 and caspase-10 generates the two active subunits. Additional processing of the propeptides is likely due to the autocatalytic activity of the activated protease. Active heterodimers between the small subunit of caspase-7 protease and the large subunit of caspase-3 also occur and vice versa. S-nitrosylated on its catalytic site cysteine in unstimulated human cell lines and denitrosylated upon activation of the Fas apoptotic pathway, associated with an increase in intracellular caspase activity. Fas therefore activates caspase-3 not only by inducing the cleavage of the caspase zymogen to its active subunits, but also by stimulating the denitrosylation of its active site thiol.
Cellular localization	Cytoplasm.


Images



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Caspase-3 antibody (ab44976)

This image is courtesy of an anonymous Abreview.

ab44976, at 1/100, staining Caspase-3 in mouse brain tissue sections by immunohistochemistry (formalin/PFA-fixed paraffin-embedded sections). Sections were paraformaldehyde fixed prior to blocking in 5% BSA for 1 hour at 25°C and then incubated with ab44976, for 12 hours at 4°C. A donkey polyclonal to rabbit Ig, diluted 1/500 was used as the secondary antibody. The green shows staining of caspase 3 and the blue DAPI.



Western blot - Anti-Caspase-3 antibody (ab44976)

Western blot analysis of caspase-3 precursor expression in HuT 78 (A) and CCRF-HSB-2 (B) whole cell lysates.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors