


Product datasheet

Anti-DMAP1 antibody ab3737

★★★★☆ 1 Abreviews 2 Images

Overview

Product name	Anti-DMAP1 antibody
Description	Goat polyclonal to DMAP1
Host species	Goat
Tested applications	Suitable for: ICC/IF, WB
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Chimpanzee, Zebrafish, Rhesus monkey, Gorilla, Orangutan 
Immunogen	Synthetic peptide (Human) - which represented a portion of human DNA methyltransferase 1-associated protein 1 encoded within exon 8.
Positive control	HeLa cell lysate.
General notes	Involved in transcription repression. Its interaction with HDAC2 may provide a platform for how histones may become deacetylated in heterochromatin following replication. Can repress transcription independently of histone deacetylase activity.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	Preservative: 0.1% Sodium Azide Constituents: 8mM PBS, 60mM Citrate, 150mM Tris, pH 7-8
Purity	Immunogen affinity purified
Primary antibody notes	Involved in transcription repression. Its interaction with HDAC2 may provide a platform for how histones may become deacetylated in heterochromatin following replication. Can repress transcription independently of histone deacetylase activity.
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab3737** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC/IF	★★★★☆	1/200.
WB		1/1000 - 1/5000. Predicted molecular weight: 65 kDa.

Target


Relevance

DMAP1 is involved in transcription repression and activation. Its interaction with HDAC2 may provide a mechanism for histone deacetylation in heterochromatin following replication of DNA at late firing origins. Can also repress transcription independently of histone deacetylase activity. May specifically potentiate DAXX-mediated repression of glucocorticoid receptor-dependent transcription. Component of the NuA4 histone acetyltransferase (HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histone H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. NuA4 may also play a direct role in DNA repair when recruited to sites of DNA damage.

Cellular localization

Nuclear

Images



Western blot - Anti-DMAP1 antibody (ab3737)

Sample: HeLa cell lysate (50µg/lane)


Antibody: Affinity purified Goat anti-DMAP 1 (ab3737) used at the concentrations indicated.

Detection: ECL exposed for 2 minutes.

Sample: HeLa cell lysate (50µg/lane)

Antibody: Affinity purified Goat anti-DMAP 1 (ab3737) used at the concentrations indicated.

Detection: ECL exposed for 2 minutes.



Immunocytochemistry/ Immunofluorescence - Anti-
DMAP1 antibody (ab3737)

This image is courtesy of an Abreview submitted by Dr
Kirk McManus

ab3737 (1/200) staining DMAP1 in
assynchronous HeLa cells. Cells were fixed in
paraformaldehyde and counterstained with
DAPI in order to highlight the nucleus. Please
refer to abreview for further experimental
details.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors