

Product datasheet

# Anti-Myeloperoxidase antibody - Carboxyterminal end ab65871

★★★★★ 3 Abreviews 2 References 3 Images

Overview

<b>Product name</b>	Anti-Myeloperoxidase antibody - Carboxyterminal end
<b>Description</b>	Rabbit polyclonal to Myeloperoxidase - Carboxyterminal end
<b>Tested applications</b>	<b>Suitable for:</b> ICC/IF, IHC-Fr, WB, IHC-P, ICC
<b>Species reactivity</b>	<b>Reacts with:</b> Mouse, Rat, Human
<b>Immunogen</b>	A synthetic peptide corresponding to a sequence mapping at the C-terminus of human Myeloperoxidase, identical to the related mouse and rat sequence.
<b>Positive control</b>	human ovary tissue

Properties

<b>Form</b>	Lyophilised:0.2ml of distilled water will yield a concentration of 500µg/ml.
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
<b>Storage buffer</b>	Preservative: 0.02% Sodium Azide, 0.01% Thimerosal (merthiolate) Constituents: 2.5% BSA, 0.45% Sodium chloride, 0.1% Dibasic monohydrogen sodium phosphate
<b>Purity</b>	Immunogen affinity purified
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab65871** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
ICC/IF	★★★★★	Use at an assay dependent concentration.
IHC-Fr	★★★★★	Use at an assay dependent concentration.
WB		Use a concentration of 2 µg/ml. Predicted molecular weight: 84 kDa.

Application	Abreviews	Notes
IHC-P		Use a concentration of 0.5 - 1 µg/ml.
ICC		Use at an assay dependent concentration.

## Target


<b>Function</b>	Part of the host defense system of polymorphonuclear leukocytes. It is responsible for microbicidal activity against a wide range of organisms. In the stimulated PMN, MPO catalyzes the production of hypohalous acids, primarily hypochlorous acid in physiologic situations, and other toxic intermediates that greatly enhance PMN microbicidal activity.
<b>Involvement in disease</b>	Defects in MPO are the cause of myeloperoxidase deficiency (MPD) [MIM:254600]. MPD is an autosomal recessive defect that results in disseminated candidiasis.
<b>Sequence similarities</b>	Belongs to the peroxidase family. XPO subfamily.
<b>Cellular localization</b>	Lysosome.

## Anti-Myeloperoxidase antibody - Carboxyterminal end images



This image shows human ovary tissue stained with ab65871 at 1µg/ml.


Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Myeloperoxidase antibody - Carboxyterminal end (ab65871)



Western blot - Myeloperoxidase antibody - Carboxyterminal end (ab65871)

Anti-Myeloperoxidase antibody - Carboxyterminal end (ab65871) at 2 µg/ml + rat brain tissue lysate

**Predicted band size :** 84 kDa  
**Observed band size :** 170 kDa



Immunocytochemistry/ Immunofluorescence - Myeloperoxidase antibody - Carboxyterminal end (ab65871)

This image is courtesy of an anonymous Abreview

ab65871 staining Myeloperoxidase in Mouse bone marrow WBCs by ICC/IF (Immunocytochemistry/immunofluorescence). Cells were fixed with formaldehyde, permeabilized with 0.1% Triton X-100 and blocked with 5% serum for 2 hours at 25°C. Samples were incubated with primary antibody (1/500 in PBS) for 9 hours at 4°C. An Alexa Fluor®488-conjugated Goat anti-rabbit IgG polyclonal (1/500) was used as the secondary antibody.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors