

Product datasheet

Anti-NPEPPS antibody [2649C4 α] ab76558

1 Image

Overview

Product name	Anti-NPEPPS antibody [2649C4a]
Description	Mouse monoclonal [2649C4a] to NPEPPS
Host species	Mouse
Tested applications	Suitable for: WB, Dot blot
Species reactivity	Reacts with: Human
Immunogen	Recombinant fragment comprising of 50-200 amino acids from the internal region of human NPEPPS.
Positive control	Recombinant fragment of human NPEPPS.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
Storage buffer	Preservative: 0.05% Sodium Azide Constituents: 1% BSA, PBS, (8.0mM Sodium phosphate, 3.0mM Potassium chloride, 140mM Sodium chloride, 1.5mM Potassium phosphate), pH 7.4
Purity	Protein G purified
Purification notes	ab76558 was purified using protein G column chromatography from culture supernatant of hybridoma cultured in a medium containing bovine IgG-depleted (approximately 95%) fetal bovine serum and filtered through a 0.22 μ m membrane.
Clonality	Monoclonal
Clone number	2649C4a
Isotype	IgG2a

Applications

Our [Abpromise guarantee](#) covers the use of **ab76558** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use a concentration of 0.2 - 2 µg/ml. Detects a band of approximately 39 kDa (predicted molecular weight: 103 kDa).
Dot blot		Use at an assay dependent dilution.

Target

Function	Aminopeptidase with broad substrate specificity for several peptides. Involved in proteolytic events essential for cell growth and viability. May act as regulator of neuropeptide activity. Plays a role in the antigen-processing pathway for MHC class I molecules. Involved in the N-terminal trimming of cytotoxic T-cell epitope precursors. Digests the poly-Q peptides found in many cellular proteins. Digests tau from normal brain more efficiently than tau from Alzheimer disease brain.
Tissue specificity	Detected in liver, epithelium of renal tubules, epithelium of small and large intestine, gastric epithelial cells, and alveoli of the lung (at protein level).
Sequence similarities	Belongs to the peptidase M1 family.
Cellular localization	Cytoplasm > cytosol. Nucleus.

Images



Anti-NPEPPS antibody [2649C4a] (ab76558)
at 2 µg/ml + immunising recombinant protein

Predicted band size: 103 kDa

Observed band size: 39 kDa

The molecular weight of the band on the western blot does not correspond to the molecular weight of the natural protein because only a fragment of the protein was used.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors