

Product datasheet

Anti-Nicotinic Acetylcholine Receptor alpha 3 antibody ab103956

[4 References](#) [2 Images](#)

Overview

Product name	Anti-Nicotinic Acetylcholine Receptor alpha 3 antibody
Description	Rabbit polyclonal to Nicotinic Acetylcholine Receptor alpha 3
Host species	Rabbit
Tested applications	Suitable for: WB, IHC-P
Species reactivity	Reacts with: Human
Immunogen	Synthetic peptide corresponding to a region within N terminal amino acids 30-60 of Human Nicotinic Acetylcholine Receptor alpha 3, conjugated to KLH.
Positive control	CEM cell line lysate; Human brain tissue

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at 4°C (up to 6 months). Store at -20°C long term.
Storage buffer	Preservative: 0.09% Sodium Azide Constituents: PBS
Purity	Immunogen affinity purified
Purification notes	This antibody is purified through a protein A column, followed by peptide affinity purification.
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab103956** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		1/100 - 1/500. Predicted molecular weight: 57 kDa.

Application	Abreviews	Notes
IHC-P		1/50 - 1/100. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Target

Function	After binding acetylcholine, the AChR responds by an extensive change in conformation that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane.
Sequence similarities	Belongs to the ligand-gated ion channel (TC 1.A.9) family. Acetylcholine receptor (TC 1.A.9.1) subfamily. Alpha-3/CHRNA3 sub-subfamily.
Cellular localization	Cell junction > synapse > postsynaptic cell membrane. Cell membrane.


Images



Western blot - Anti-Nicotinic Acetylcholine Receptor alpha 3 antibody (ab103956)

Anti-Nicotinic Acetylcholine Receptor alpha 3 antibody (ab103956) at 1/100 dilution + CEM cell line lysate at 35 µg

Predicted band size: 57 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Nicotinic Acetylcholine Receptor alpha 3 antibody (ab103956)

ab103956, at a 1/50 dilution, staining Nicotinic Acetylcholine Receptor alpha 3 in formalin fixed and paraffin embedded Human brain tissue by Immunohistochemistry. Developed using peroxidase conjugated secondary antibody and DAB staining.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors