


Product datasheet

Anti-PC4 antibody ab84459

3 Images

Overview

Product name	Anti-PC4 antibody
Description	Rabbit polyclonal to PC4
Tested applications	Suitable for: IHC-P
Species reactivity	Reacts with: Mouse, Human Predicted to work with: Rat, Rabbit, Horse, Chicken, Guinea pig, Cow, Dog, Turkey, Pig, Rhesus monkey, Gorilla, Orangutan, Platypus 
Immunogen	Synthetic peptide corresponding to a region between residues 77 and 127 of Human PC4 (NP_006704.2)
Positive control	Human: bladder carcinoma, breast carcinoma, colon carcinoma, linitis plastica stomach cancer, ovarian carcinoma, pancreatic islet cell tumor, prostate carcinoma, skin basal cell carcinoma, skin melanoma, skin squamous cell carcinoma, small cell lung cancer, stomach adenocarcinoma, testicular seminoma. Mouse: skin, seratoma

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	Preservative: 0.09% Sodium Azide Constituents: 0.1% BSA, Tris buffered saline
Purity	Immunogen affinity purified
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab84459** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		

Application notes

IHC-P: 1/100 - 1/500. Antigen retrieval with citrate buffer may improve staining.
Note: likely to work with frozen sections.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Target

Function

General coactivator that functions cooperatively with TAFs and mediates functional interactions between upstream activators and the general transcriptional machinery. May be involved in stabilizing the multiprotein transcription complex. Binds single-stranded DNA. Also binds, in vitro, non-specifically to double-stranded DNA (ds DNA).

Sequence similarities

Belongs to the transcriptional coactivator PC4 family.


Post-translational modifications

Activity is controlled by protein kinases that target the regulatory region. Phosphorylation inactivates both ds DNA-binding and cofactor function, but does not affect binding to ssDNA. Seems to be phosphorylated in vivo by CK2 in at least 7 sites in the N-terminal Ser-rich region.

Cellular localization


Nucleus.

Images




Immunohistochemistry analysis of formalin-fixed, paraffin-embedded Human breast carcinoma tissue using 1/250 ab84459, followed by DAB staining.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - PC4 antibody (ab84459)



Immunohistochemistry analysis of formalin-fixed, paraffin-embedded Human prostate carcinoma tissue using 1/250 ab84459, followed by DAB staining.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - PC4 antibody (ab84459)



Immunohistochemistry analysis of formalin-fixed, paraffin-embedded Mouse teratoma tissue using 1/250 ab84459, followed by DAB staining.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - PC4 antibody (ab84459)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors