

Product datasheet

Anti-ROCK2 antibody [EPR7141(B)] ab125025

KO VALIDATED Recombinant RabMAB[®]


★★★★☆ 4 Abreviews 3 References 6 Images

Overview

Product name	Anti-ROCK2 antibody [EPR7141(B)]
Description	Rabbit monoclonal [EPR7141(B)] to ROCK2
Host species	Rabbit
Tested applications	Suitable for: WB, ICC/IF Unsuitable for: IHC-P
Species reactivity	Reacts with: Mouse, Rat, Human
Immunogen	Synthetic peptide within Human ROCK2 (C terminal). The exact sequence is proprietary.
Positive control	HeLa, HEK293, L6, RAW264.7 and A673 cell lysates; Human kidney tissue, Mouse and Rat brain tissue lysate.
General notes	<p>Our RabMAB[®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAB[®] patents</p> <p>We are constantly working hard to ensure we provide our customers with best in class antibodies. As a result of this work we are pleased to now offer this antibody in purified format. We are in the process of updating our datasheets. The purified format is designated 'PUR' on our product labels. If you have any questions regarding this update, please contact our Scientific Support team.</p> <p>This product is a recombinant rabbit monoclonal antibody.</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C. Avoid freeze / thaw cycle.
Dissociation constant (K_D)	K _D = 8.70 x 10 ⁻¹¹ M



[Learn more about K_D](#)

Storage buffer	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 59% PBS, 0.14% BSA, 40% Glycerol
Purity	Protein A purified
Clonality	Monoclonal
Clone number	EPR7141(B)
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab125025** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB	★★★★☆	1/10000 - 1/50000. Detects a band of approximately 161 kDa (predicted molecular weight: 161 kDa).
ICC/IF		1/100 - 1/250.

Application notes Is unsuitable for IHC-P.

Target


Function Regulates the assembly of the actin cytoskeleton. Promotes formation of stress fibers and of focal adhesion complexes. Plays a role in smooth muscle contraction.

Sequence similarities Belongs to the protein kinase superfamily. AGC Ser/Thr protein kinase family. Contains 1 AGC-kinase C-terminal domain. Contains 1 PH domain. Contains 1 phorbol-ester/DAG-type zinc finger. Contains 1 protein kinase domain. Contains 1 REM (Hr1) repeat.

Post-translational modifications Phosphorylated upon DNA damage, probably by ATM or ATR.

Cellular localization Cytoplasm. Cell membrane. Cytoplasmic, and associated with actin microfilaments and the plasma membrane.

Images



Western blot - Anti-ROCK2 antibody [EPR7141(B)]
(ab125025)

Lane 1: Wild-type HAP1 cell lysate (20 µg)

Lane 2: ROCK2 knockout HAP1 cell lysate (20 µg)


Lane 3: HeLa cell lysate (20 µg)

Lane 4: A10 cell lysate (20 µg)

Lanes 1 - 4: Merged signal (red and green).

Green - ab125025 observed at 165 kDa. Red - loading control, [ab8245](#), observed at 37 kDa.


ab125025 was shown to specifically react with ROCK2 when ROCK2 knockout samples were used. Wild-type and ROCK2 knockout samples were subjected to SDS-PAGE. ab125025 and [ab8245](#) (loading control to GAPDH) were diluted 1/10 000 and 1/2000 respectively and incubated overnight at 4°C. Blots were developed with Goat anti-Rabbit IgG H&L (IRDye® 800CW) preadsorbed ([ab216773](#)) and Goat anti-Mouse IgG H&L (IRDye® 680RD) preadsorbed ([ab216776](#)) secondary antibodies at 1/10,000 dilution for 1 h at room temperature before imaging.



Immunocytochemistry/ Immunofluorescence - Anti-ROCK2 antibody [EPR7141(B)] (ab125025)

Immunocytochemistry/Immunofluorescence analysis of HeLa (human cervix adenocarcinoma) cells labelling ROCK2 with purified ab125025 at 1/250. Cells were fixed with 4% Paraformaldehyde and permeabilized with 0.1% Triton X-100. ab150077, Alexa Fluor® 488-conjugated goat anti-rabbit IgG (1/1000) was used as the secondary antibody. Cells were counter-stained with ab7291 anti-Tubulin (mouse mAb) primary and ab150120 (AlexaFluor®594 goat anti-mouse) secondary both at 1/1000 dilution. Nuclei were counterstained with DAPI (blue).

For negative control 1, rabbit primary antibody and ab150120 (anti-mouse) secondary antibody were used. For negative control 2, ab7291 (mouse primary antibody) was used followed by ab150077 (anti-rabbit secondary antibody).



Western blot - Anti-ROCK2 antibody [EPR7141(B)] (ab125025)

All lanes : Anti-ROCK2 antibody [EPR7141(B)] (ab125025) at 1/50000 dilution

- Lane 1 :** HeLa whole cell lysate
- Lane 2 :** HEK293 whole cell lysate
- Lane 3 :** Mouse brain tissue lysate
- Lane 4 :** Rat brain tissue lysate

Lysates/proteins at 10 µg per lane.


Secondary

All lanes : Goat Anti-Rabbit IgG H&L (HRP) (ab97051) at 1/20000 dilution

Predicted band size: 161 kDa

Observed band size: 161 kDa

Blocking and Diluting buffer 5% NFDm/TBST



Western blot - Anti-ROCK2 antibody [EPR7141(B)] (ab125025)

All lanes : Anti-ROCK2 antibody [EPR7141(B)] (ab125025) at 1/10000 dilution (unpurified)

Lane 1 : HeLa cell lysate

Lane 2 : L6 cell lysate


Lane 3 : A673 cell lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 161 kDa



Western blot - Anti-ROCK2 antibody [EPR7141(B)] (ab125025)

Anti-ROCK2 antibody [EPR7141(B)] (ab125025) at 1/10000 dilution + RAW264.7 whole cell lysate at 10 µg


Secondary

Goat Anti-Rabbit IgG H&L (HRP) (ab97051) at 1/20000 dilution

Predicted band size: 161 kDa

Observed band size: 161 kDa

Blocking and Diluting buffer 5% NFD/MTBST



Other - Anti-ROCK2 antibody [EPR7141(B)] (ab125025)

Equilibrium dissociation constant (K_D)

Learn more about K_D

[Click here to learn more about \$K_D\$](#)

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors