

Product datasheet

Anti-Staufen antibody ab50914

★★★★★ 2 Abreviews 2 References 3 Images

Overview

Product name	Anti-Staufen antibody
Description	Rabbit polyclonal to Staufen
Tested applications	Suitable for: WB, IHC-P, ICC/IF
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat, Rabbit, Horse, Guinea pig, Cow, Dog, Pig
Immunogen	Synthetic peptide: AKALRLQNE PLPERLEVNG RESEEEENLNK SEISQVFEIA LKRNLPVNFE, corresponding to amino acids 73-122 of Human Staufen Run BLAST with ExPASy Run BLAST with NCBI
Positive control	HepG2 cell lysate; human intestinal tissue.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	Preservative: None Constituents: 2% Sucrose, PBS
Purity	Protein A purified
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab50914** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB	★★★★★	Use a concentration of 1.25 µg/ml. Predicted molecular weight: 63 kDa. Can be blocked with Human Staufen peptide (ab111678) . Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.

Application	Abreviews	Notes
IHC-P		Use at an assay dependent concentration.
ICC/IF		Use a concentration of 1 - 5 µg/ml.

Target

Function	Binds double-stranded RNA (regardless of the sequence) and tubulin. May play a role in specific positioning of mRNAs at given sites in the cell by cross-linking cytoskeletal and RNA components, and in stimulating their translation at the site.
Tissue specificity	Widely expressed. Expressed in brain, pancreas, heart, skeletal muscles, liver, lung, kidney and placenta.
Sequence similarities	Contains 3 DRBM (double-stranded RNA-binding) domains.
Domain	One of the DRDB could be involved in RER binding. The C-terminal contains the tubulin binding domain (TBD).
Cellular localization	Cytoplasm. Rough endoplasmic reticulum. Localizes exclusively with the rough reticulum endoplasmic.

Images



Western blot - Staufen antibody (ab50914)

Lane 1 : Marker

Lane 2 : Anti-Staufen antibody (ab50914) at
1.25 µg/ml

Lane 1 : As above


Lane 2 : HepG2 cell lysate at 10 µg

Secondary

Lane 2 : HRP conjugated anti-Rabbit IgG at
1/50000 dilution

Predicted band size : 63 kDa


Gel concentration 12%



Copyright (c) 2009 abcam plc

Immunocytochemistry/ Immunofluorescence-Staufen antibody(ab50914)

ICC/IF image of ab50914 stained HeLa cells. The cells were 4% PFA fixed (10 min) and then incubated in 1%BSA / 10% normal goat serum / 0.3M glycine in 0.1% PBS-Tween for 1h to permeabilise the cells and block non-specific protein-protein interactions. The cells were then incubated with the antibody (ab50914, 1µg/ml) overnight at +4°C. The secondary antibody (green) was Alexa Fluor® 488 goat anti-rabbit IgG (H+L) used at a 1/1000 dilution for 1h. Alexa Fluor® 594 WGA was used to label plasma membranes (red) at a 1/200 dilution for 1h. DAPI was used to stain the cell nuclei (blue) at a concentration of 1.43µM.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)-Anti-Staufen antibody(ab50914)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) analysis of human intestine tissue labelling Staufen with ab50914 at 8µg/ml. Arrows indicate positive staining of epithelial cells of intestinal villi.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

-
- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors