

Product datasheet

Anti-TRF2 antibody ab13589

1 References 1 Image

Overview

| | |
|----------------------------|--|
| Product name | Anti-TRF2 antibody |
| Description | Goat polyclonal to TRF2 |
| Host species | Goat |
| Tested applications | Suitable for: WB, IP |
| Species reactivity | Reacts with: Human |
| Immunogen | Baculovirus expressed His-tagged whole length TRF2 protein was used for immunizing goat. |
| Positive control | Human cell lysates. |

Properties

| | |
|-----------------------------|---|
| Form | Liquid |
| Storage instructions | Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles. |
| Storage buffer | Preservative: 0.02% Sodium Azide Constituents: PBS |
| Purity | Protein G purified |
| Purification notes | Purified by ammonium sulfate precipitation, followed by chromatography. |
| Clonality | Polyclonal |
| Isotype | IgG |

Applications

Our [Abpromise guarantee](#) covers the use of **ab13589** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|-------------|-----------|-------|
|-------------|-----------|-------|

WB

IP

Application notes IP: Use 2µg for 10⁶ cells.

WB: Use at a concentration of 2 µg/ml. Predicted molecular weight: 60 kDa.

Not tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Target

Function

Binds the telomeric double-stranded 5'-TTAGGG-3' repeat and plays a central role in telomere maintenance and protection against end-to-end fusion of chromosomes. In addition to its telomeric DNA-binding role, required to recruit a number of factors and enzymes required for telomere protection, including the shelterin complex, TERF2IP/RAP1 and DCLRE1B/Apollo. Component of the shelterin complex (telosome) that is involved in the regulation of telomere length and protection. Shelterin associates with arrays of double-stranded 5'-TTAGGG-3' repeats added by telomerase and protects chromosome ends; without its protective activity, telomeres are no longer hidden from the DNA damage surveillance and chromosome ends are inappropriately processed by DNA repair pathways. Together with DCLRE1B/Apollo, plays a key role in telomeric loop (T loop) formation by generating 3' single-stranded overhang at the leading end telomeres: T loops have been proposed to protect chromosome ends from degradation and repair. Required both to recruit DCLRE1B/Apollo to telomeres and activate the exonuclease activity of DCLRE1B/Apollo. Preferentially binds to positive supercoiled DNA. Together with DCLRE1B/Apollo, required to control the amount of DNA topoisomerase (TOP1, TOP2A and TOP2B) needed for telomere replication during fork passage and prevent aberrant telomere topology. Recruits TERF2IP/RAP1 to telomeres, thereby participating in to repressing homology-directed repair (HDR), which can affect telomere length.

Tissue specificity

Ubiquitous. Highly expressed in spleen, thymus, prostate, uterus, testis, small intestine, colon and peripheral blood leukocytes.

Sequence similarities

Contains 1 HTH myb-type DNA-binding domain.

Domain

The TRFH dimerization region mediates the interaction with DCLRE1B/Apollo but not TINF2.


Post-translational modifications

Phosphorylated upon DNA damage, probably by ATM or ATR.

Cellular localization

Nucleus. Chromosome > telomere. Colocalizes with telomeric DNA in interphase cells and is located at chromosome ends during metaphase.

Images



Immunoprecipitation - Anti-TRF2 antibody (ab13589)

Immunoprecipitation (IP)/ Western Blot (WB)

Analysis of TRF2 in human cell lysates. Lane 1. IP with TRF2 antibody (mouse anti-TRF2). Lane 2. IP with control mouse IgG. Lane 3. IP with TRF2 antibody (goat anti-TRF2). Lane 4. IP with pre-immune goat Ig. Lanes 1-4. WB with TRF2 antibody. TRF2 is detected as an ~ 66 kD protein.

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors