


Product datasheet

Anti-BAIAP2 antibody ab105221

2 Images

Overview

Product name	Anti-BAIAP2 antibody
Description	Goat polyclonal to BAIAP2
Specificity	ab105221 recognizes BAIAP2 isoform 1.
Tested applications	Suitable for: WB, ELISA, IHC-P
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat 
Immunogen	Synthetic peptide: C-SGSGTLVSTV , corresponding to C terminal amino acids 512-521 of Human BAIAP2 Isoform 1. Run BLAST with Run BLAST with
Positive control	Human Brain, Cortex; Human Brain lysate

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	Preservative: 0.02% Sodium Azide Constituents: 0.5% BSA, Tris buffered saline, pH 7.3
Purity	Immunogen affinity purified
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab105221** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		Use a concentration of 1 - 3 µg/ml. Predicted molecular weight: 61 kDa.

Application	Abreviews	Notes
ELISA		1/64000.
IHC-P		Use a concentration of 5 µg/ml. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.

Target


Function	Adapter protein that links membrane-bound small G-proteins to cytoplasmic effector proteins. Necessary for CDC42-mediated reorganization of the actin cytoskeleton and for RAC1-mediated membrane ruffling. Involved in the regulation of the actin cytoskeleton by WASF family members and the Arp2/3 complex. Plays a role in neurite growth. Acts synergetically with ENAH to promote filipodia formation.
Tissue specificity	Isoform 1 and isoform 4 are expressed almost exclusively in brain. Isoform 4 is barely detectable in placenta, prostate and testis. A short isoform is ubiquitous, with the highest expression in liver, prostate, testis and placenta.
Sequence similarities	Contains 1 IMD (IRSp53/MIM homology) domain. Contains 1 SH3 domain.
Domain	The IMD domain forms a coiled coil. The isolated domain can induce actin bundling and filopodia formation. In the absence of G-proteins intramolecular interaction between the IMD and the SH3 domain gives rise to an auto-inhibited state of the protein. Interaction of the IMD with RAC1 or CDC42 leads to activation. The SH3 domain interacts with ATN1, BAI1, WASF1, WASF2, SHANK1, DIAPH1 and ENAH.
Post-translational modifications	Phosphorylated on tyrosine residues by INSR in response to insulin treatment.
Cellular localization	Cytoplasm. Membrane. Cell projection > filopodium. Cell projection > ruffle. Detected throughout the cytoplasm in the absence of specific binding partners. Detected in filopodia and close to membrane ruffles.

Images



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - BAIAP2 antibody (ab105221)

ab105221, at 5 µg/ml, staining BAIAP2 in formalin-fixed, paraffin-embedded Human Brain, Cortex by Immunohistochemistry, followed by biotinylated anti-goat IgG secondary antibody, alkaline phosphatase-streptavidin and chromogen.



Anti-BAIAP2 antibody (ab105221) at 1 µg/ml
+ Human Brain lysate (in RIPA buffer) at 35 µg
Developed using the ECL technique

Predicted band size : 61 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors