

## Product datasheet

# Anti-Verotoxin 2 beta antibody [257] ab20623

### Overview

<b>Product name</b>	Anti-Verotoxin 2 beta antibody [257]
<b>Description</b>	Mouse monoclonal [257] to Verotoxin 2 beta
<b>Specificity</b>	Specific for Verotoxin II - B subunit (SLT-2b). Neutralising antibody.
<b>Tested applications</b>	<b>Suitable for:</b> ELISA
<b>Immunogen</b>	Purified toxoid.

### Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
<b>Storage buffer</b>	Preservative: 0.1% Sodium Azide Constituents: 10mM PBS, pH 7.2
<b>Purity</b>	Protein A purified
<b>Purification notes</b>	90% pure from ascites.
<b>Clonality</b>	Monoclonal
<b>Clone number</b>	257
<b>Isotype</b>	IgG

### Applications

Our [Abpromise guarantee](#) covers the use of **ab20623** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ELISA		1/20 - 1/200.

### Target

<b>Relevance</b>	Verotoxins are produced by certain enterohaemorrhagic strains of Escherichia coli. Serotype O157:H7 has been the strain most commonly associated with large food borne outbreaks and
------------------	--

has been implicated in a wide spectrum of diseases including blood diarrhoea, haemorrhagic colitis and haemolytic uraemic syndrome. The main sources of infection are contaminated foods of animal origin such as meat and dairy products. Verotoxins, also called Shiga like toxins (SLT) because of their similarity to toxins produced by *Shigella dysenteriae*, are classified into two main categories: verotoxin 1 (VT1, SLT1, Stx1) and 2 (VT2, SLT2, Stx2). Verotoxin production is the most common criteria for the detection of this group of bacteria rather than tests for the cytopathic effect on Vero cells that gave the toxins their name. Verotoxins contain a single A subunit and multiple copies of a B subunit. The A subunit is responsible for inhibiting protein synthesis through the catalytic inactivation of 60S ribosomal subunits.

**Cellular localization**

Secreted

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

**Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

**Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors