

Product datasheet

Anti-O-Linked N-Acetylglucosamine antibody [HGAC85] - ChIP Grade ab2735

★★★★★ 3 Abreviews 7 References 2 Images

Overview

Product name	Anti-O-Linked N-Acetylglucosamine antibody [HGAC85] - ChIP Grade
Description	Mouse monoclonal [HGAC85] to O-Linked N-Acetylglucosamine - ChIP Grade
Tested applications	Suitable for: ChIP, IHC, ELISA, ICC/IF, IP, WB
Species reactivity	Reacts with: Mouse, Rat, Sheep, Rabbit, Cow
Immunogen	Heat killed, pepsin treated group A streptococci.
General notes	DO NOT USE WITH DILUENTS CONTAINING GLYCOSYLATED PROTEINS.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
Storage buffer	Preservative: 0.05% Sodium azide Constituent: PBS
Purity	Ascites
Clonality	Monoclonal
Clone number	HGAC85
Isotype	IgG3

Applications

Our [Abpromise guarantee](#) covers the use of **ab2735** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ChIP		Use at an assay dependent concentration.
IHC		Use at an assay dependent concentration.


Application	Abreviews	Notes
ELISA		Use at an assay dependent concentration.
ICC/IF	★★★★★	Use a concentration of 10 µg/ml.
IP		Use at an assay dependent concentration.
WB	★★★★★	Use a concentration of 1 µg/ml. This antibody detects several proteins representing O-GlcNAc glycoproteins.

Target

Relevance

Many cellular proteins, including nuclear pore, oncogene, cytoskeletal, heat shock, viral and transcription regulatory proteins contain single O-linked N-acetylglucosamine (O-GlcNAc) residues attached to serine or threonine residues. It has been observed that O-GlcNAc glycosylated proteins tend to be under phosphorylated relative to unglycosylated proteins and that O-GlcNAc bearing proteins tend to be found in multimeric complexes. This has led to the suggestion that O-GlcNAc glycosylation may obscure phosphorylation sites and acts as a signaling mechanism or mediator of signaling.

Images




Small Molecule Fluorescent Optical Detection - Anti-O-Linked N-Acetylglucosamine antibody [HGAC85] (ab2735)

Image from Vázquez-Dorbatt V et al., *Biomacromolecules*, 2009, 10 (8), pp 2207–2212, Copyright 2009 American Chemical Society. Fig 5.; doi: 10.1021/bm900395h.

Fluorescence analysis of a synthetic glycopolymer, staining O-Linked N-Acetylglucosamine with ab2735.

A polydimethylsiloxane (PDMS) stamp was used for microcontact printing. The stamp was inked with a solution of glycopolymer (10 mM) and pressed into contact with freshly cleaned gold. The gold was then washed with absolute ethanol and dried with argon prior to incubating with primary antibody for 30 min followed by a AlexaFluor®568-conjugated goat-anti mouse secondary antibody for 30 min.



Western blot - Anti-O-Linked N-Acetylglucosamine [HGAC85] antibody - ChIP Grade (ab2735)

This image is courtesy of an anonymous Abreview

Anti-O-Linked N-Acetylglucosamine antibody [HGAC85] - ChIP Grade (ab2735) at 1/1000 dilution + Mouse liver tissue lysate - whole at 40 µg

Secondary

HRP-conjugated donkey anti-rabbit IgG polyclonal at 1/10000 dilution
Developed using the ECL technique

Performed under reducing conditions.

Observed band size : 28,54 kDa

Exposure time : 1 minute

This image is courtesy of an anonymous Abreview

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors