

Product datasheet

# Anti-Thyroid Hormone Receptor antibody [C3] - ChIP Grade ab2743

[2 References](#)   [4 Images](#)

Overview

---

<b>Product name</b>	Anti-Thyroid Hormone Receptor antibody [C3] - ChIP Grade
<b>Description</b>	Mouse monoclonal [C3] to Thyroid Hormone Receptor - ChIP Grade
<b>Host species</b>	Mouse
<b>Tested applications</b>	<b>Suitable for:</b> ChIP, ICC/IF, IHC-P, IP, WB
<b>Species reactivity</b>	<b>Reacts with:</b> Mouse, Rat, Chicken, Human, Xenopus laevis, Bird, Non human primates, Amphibian
<b>Immunogen</b>	Other Immunogen Type corresponding to Human Thyroid Hormone Receptor aa 201-456.
<b>Epitope</b>	This antibody recognizes an epitope in the hormone binding domain of hTR beta-1, amino acid residues 235-414. This sequence is conserved in hTR alpha-1.
<b>General notes</b>	Abcam is committed to meeting high standards of ethical manufacturing and has decided to discontinue this product by June 2019 as it has been generated by the ascites method. We are sorry for any inconvenience this may cause.

Properties

---

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
<b>Storage buffer</b>	Preservative: 0.05% Sodium azide
<b>Primary antibody notes</b>	Thyroid hormone receptors (TR) are ligand-dependent, intracellular proteins that stimulate transcription of specific genes by binding to specific DNA sequences called hormone response elements following activation by the appropriate hormone. Thyroid hormones, through their interaction with TR, effect metabolic processes, growth and development in many tissues by regulating the expression of genes for growth hormone, malic enzyme and several hepatic proteins. There are two forms of TR; TR alpha (on chromosome 17) and TR beta (on chromosome 3). Each of these isoforms also has two isoforms; TR alpha-1 and TRv alpha-2, and TR beta-1 and TR beta-2 respectively. TR alpha-1 and 2 are identical through amino acid 370 where their sequences diverge. TRv alpha-2, which does not bind T3 and is a strong negative regulator of the functional TR, is 80 amino acids longer than TR alpha-1.
<b>Clonality</b>	Monoclonal

<b>Clone number</b>	C3
<b>Isotype</b>	IgG1

## Applications

---

Our [Abpromise guarantee](#) covers the use of **ab2743** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ChIP		Use at an assay dependent concentration.
ICC/IF		1/20.
IHC-P		1/10 - 1/100.
EMSA		Use at an assay dependent concentration.
IP		Use at an assay dependent concentration.
WB		1/1000. Detects a band of approximately 52, 55 kDa (predicted molecular weight: 52 kDa).

## Target

---

### Relevance


Thyroid hormone receptors (TRs) are ligand dependent members of the steroid/retinoic acid superfamily of transcription factors. The two genes encoding TRs identified to date, TR alpha and TR beta, have been mapped to human chromosomes 17 and 3, respectively. TRs bind to thyroid hormone response elements (TREs) with half site binding motifs in the orientation of palindromes, direct repeats, or inverted palindromes. The affinities of binding are both variable and influenced differentially by 3,5,3 triiodo L thyronine (T3). Thyroid hormones, through their interaction with the TR affect metabolic processes, growth and development.

### Cellular localization

Nuclear


## Images

---




Immunocytochemistry/ Immunofluorescence - Anti-Thyroid Hormone Receptor antibody [C3] - ChIP Grade (ab2743)

Immunocytochemistry/Immunofluorescence analysis of Thyroid Hormone Receptor in HeLa cells. Cells were grown on chamber slides and fixed with formaldehyde prior to staining. Cells were probed without (control) or with ab2743 (1:20) overnight at 4°C, washed with PBS and incubated with a DyLight-488 conjugated secondary antibody. Thyroid Hormone Receptor staining (green), F-Actin staining with Phalloidin (red) and nuclei with DAPI (blue) is shown. Images were taken at 60X magnification.




Immunocytochemistry/ Immunofluorescence - Anti-Thyroid Hormone Receptor antibody [C3] - ChIP Grade (ab2743)

Immunocytochemistry/Immunofluorescence analysis of Thyroid Hormone Receptor in HepG2 cells. Cells were grown on chamber slides and fixed with formaldehyde prior to staining. Cells were probed without (control) or with ab2743 (1:20) overnight at 4°C, washed with PBS and incubated with a DyLight-488 conjugated secondary antibody. Thyroid Hormone Receptor staining (green), F-Actin staining with Phalloidin (red) and nuclei with DAPI (blue) is shown. Images were taken at 60X magnification.



Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-Thyroid Hormone Receptor antibody [C3] - ChIP Grade (ab2743)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) was performed on normal biopsies of deparaffinized human thyroid tissue. Heat induced antigen retrieval was performed using 10mM sodium citrate (pH6.0) buffer, microwaved for 8-15 minutes. Tissues were blocked in 3% BSA-PBS for 30 minutes at room temperature and probed with ab2743 (1:20) or without primary antibody (negative control) overnight at 4°C in a humidified chamber. Tissues were washed with PBST and endogenous peroxidase activity was quenched with a peroxidase suppressor. Detection was performed using a biotin-conjugated secondary antibody and SA-HRP, followed by colorimetric detection using DAB. Tissues were counterstained with hematoxylin and prepped for mounting.



Western blot - Anti-Thyroid Hormone Receptor antibody [C3] - ChIP Grade (ab2743)

Western blot of human thyroid hormone receptor using ab2743.

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

## Terms and conditions

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors