

Product datasheet

Anti-APOBEC1 antibody ab38601

2 Images

Overview

Product name	Anti-APOBEC1 antibody
Description	Rabbit polyclonal to APOBEC1
Host species	Rabbit
Tested applications	Suitable for: WB, IHC-P, ELISA
Species reactivity	Reacts with: Mouse, Human
Immunogen	A KLH conjugated synthetic peptide designed within the first 50 aa of human APOBEC1 (N-terminal).
Positive control	Mouse small intestine tissue lysate and human hepatocarcinoma tissue.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term.
Storage buffer	Preservative: 0.09% Sodium Azide Constituents: PBS
Purity	Protein G purified
Purification notes	This antibody is purified through a protein G column and eluted out with both high and low pH buffers and neutralized immediately after elution then followed by dialysis against PBS.
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab38601** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		1/100 - 1/500. Detects a band of approximately 31 kDa (predicted molecular weight: 28 kDa).

Application	Abreviews	Notes
IHC-P		1/50 - 1/100.
ELISA		1/1000.

Target

Function	Catalytic component of the apolipoprotein B mRNA editing enzyme complex which is responsible for the postranscriptional editing of a CAA codon for Gln to a UAA codon for stop in the APOB mRNA. Also involved in CGA (Arg) to UGA (Stop) editing in the NF1 mRNA.
Tissue specificity	Expressed exclusively in the small intestine.
Sequence similarities	Belongs to the cytidine and deoxycytidylate deaminase family.


Images



Anti-APOBEC1 antibody (ab38601) at 1/100 dilution + mouse small intestine tissue lysate

Predicted band size: 28 kDa

Observed band size: 31 kDa



Staining of APOBEC1 on formalin-fixed and paraffin-embedded human hepatocarcinoma tissue with ab38601, detected using a peroxidase-conjugated secondary antibody, followed by AEC staining.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

-
- Replacement or refund for products not performing as stated on the datasheet
 - Valid for 12 months from date of delivery
 - Response to your inquiry within 24 hours

 - We provide support in Chinese, English, French, German, Japanese and Spanish
 - Extensive multi-media technical resources to help you
 - We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors