

Product datasheet

Anti-Vimentin antibody [VI-01] (Dyomics® 547) ab38873

[1 Image](#)

Overview

Product name	Anti-Vimentin antibody [VI-01] (Dyomics® 547)
Description	Mouse monoclonal [VI-01] to Vimentin (Dyomics® 547)
Host species	Mouse
Conjugation	Dyomics® 547
Specificity	This antibody is specific for Vimentin. Cross-reactivity was found with smooth muscle desmin.
Tested applications	Suitable for: ICC
Species reactivity	Reacts with all species.
Immunogen	Pellet of pig brain cold stable proteins after depolymerization of microtubules.
General notes	The conjugate is purified by size chromatography and adjusted for direct use.

Properties


Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C.
Storage buffer	Preservative: 15mM Sodium Azide Constituents: 0.2% (w/v) BSA, PBS
Purity	Purified IgM
Clonality	Monoclonal
Clone number	VI-01
Isotype	IgM

Applications

Our [Abpromise guarantee](#) covers the use of **ab38873** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ICC		
Application notes	<p>ICC on fixed and permeabilized cells: 1/50.</p> <p>Not yet tested in other applications.</p> <p>Optimal dilutions/concentrations should be determined by the end user.</p>	
Target		
Function	<p>Vimentins are class-III intermediate filaments found in various non-epithelial cells, especially mesenchymal cells. Vimentin is attached to the nucleus, endoplasmic reticulum, and mitochondria, either laterally or terminally.</p> <p>Involved with LARP6 in the stabilization of type I collagen mRNAs for CO1A1 and CO1A2.</p>	
Tissue specificity	<p>Highly expressed in fibroblasts, some expression in T- and B-lymphocytes, and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines.</p>	
Involvement in disease	<p>Cataract 30</p>	
Sequence similarities	<p>Belongs to the intermediate filament family.</p>	
Domain	<p>The central alpha-helical coiled-coil rod region mediates elementary homodimerization. The [IL]-x-C-x-x-[DE] motif is a proposed target motif for cysteine S-nitrosylation mediated by the iNOS-S100A8/A9 transnitrosylase complex.</p>	
Post-translational modifications	<p>Filament disassembly during mitosis is promoted by phosphorylation at Ser-55 as well as by nestin (By similarity). One of the most prominent phosphoproteins in various cells of mesenchymal origin. Phosphorylation is enhanced during cell division, at which time vimentin filaments are significantly reorganized. Phosphorylation by PKN1 inhibits the formation of filaments. Phosphorylated at Ser-56 by CDK5 during neutrophil secretion in the cytoplasm. Phosphorylated by STK33.</p> <p>O-glycosylated during cytokinesis at sites identical or close to phosphorylation sites, this interferes with the phosphorylation status.</p> <p>S-nitrosylation is induced by interferon-gamma and oxidatively-modified low-density lipoprotein (LDL(ox)) possibly implicating the iNOS-S100A8/9 transnitrosylase complex.</p>	
Cellular localization	<p>Cytoplasm.</p>	
Form	<p>Vimentin is found in connective tissue and in the cytoskeleton.</p>	
Images		



Immunocytochemistry - Anti-Vimentin antibody [VI-01] (Dyomics® 547) (ab38873)

Immunofluorescence staining of 3T3 mouse embryonal fibroblast cell line with ab38873 anti-Vimentin (VI-01) Dyomics® 547. Nuclei are stained with DAPI (blue).

Cells were fixed with methanol for 10 minutes at -20°C.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors