

Product datasheet

Anti-CD57 antibody [SPM129], prediluted ab53653

1 Image

Overview

Product name	Anti-CD57 antibody [SPM129], prediluted
Description	Mouse monoclonal [SPM129] to CD57, prediluted
Host species	Mouse
Tested applications	Suitable for: IHC-P
Species reactivity	Reacts with: Human
Immunogen	Human peripheral blood mononuclear cells
Positive control	Human tonsil.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C.
Storage buffer	Preservative: 0.1% Sodium Azide
Purity	Ammonium Sulphate Precipitation
Clonality	Monoclonal
Clone number	SPM129
Isotype	IgM
Light chain type	kappa

Applications

Our [Abpromise guarantee](#) covers the use of **ab53653** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
-------------	-----------	-------

IHC-P

Application notes

IHC-P: Ready-to-use for 10 min at RT.
No special pretreatment is required for the immunohistochemical staining of formalin/paraffin tissues.


Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

Target

Function	Involved in the biosynthesis of L2/HNK-1 carbohydrate epitope on glycoproteins. Can also play a role in glycosaminoglycan biosynthesis. Substrates include asialo-orosomucoid (ASOR), asialo-fetuin, and asialo-neural cell adhesion molecule. Requires sphingomyelin for activity: stearyl-sphingomyelin was the most effective, followed by palmitoyl-sphingomyelin and lignoceroyl-sphingomyelin. Activity was demonstrated only for sphingomyelin with a saturated fatty acid and not for that with an unsaturated fatty acid, regardless of the length of the acyl group.
Tissue specificity	Mainly expressed in the brain.
Pathway	Protein modification; protein glycosylation.
Sequence similarities	Belongs to the glycosyltransferase 43 family.
Cellular localization	Golgi apparatus membrane.

Images



ab53653 used neat staining CD57 in Human Tonsil by Immunohistochemistry, Formalin-fixed, Paraffin embedded tissue.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - CD57 antibody [SPM129], prediluted (ab53653)

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours

- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors