

## Product datasheet

# Anti-MTH1 antibody ab55527

2 Images

### Overview

<b>Product name</b>	Anti-MTH1 antibody
<b>Description</b>	Mouse monoclonal to MTH1
<b>Tested applications</b>	<b>Suitable for:</b> WB
<b>Species reactivity</b>	<b>Reacts with:</b> Human
<b>Immunogen</b>	Recombinant full length protein, corresponding to amino acids 1-180 of Human MTH1

### Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
<b>Storage buffer</b>	Preservative: None PBS, pH 7.2
<b>Purity</b>	Protein G purified
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG2a
<b>Light chain type</b>	kappa

### Applications

Our [Abpromise guarantee](#) covers the use of **ab55527** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		

**Application notes** WB: Use at a concentration of 1-5 µg/ml.

This antibody has only been tested in WB against the recombinant fragment used as immunogen. We have no data on the detection of endogenous protein.

Not yet tested in other applications.

Optimal dilutions/concentrations should be determined by the end user.

## Target


---

<b>Function</b>	Antimutagenic. Acts as a sanitizing enzyme for oxidized nucleotide pools, thus suppressing cell dysfunction and death induced by oxidative stress. Hydrolyzes 8-oxo-dGTP, 8-oxo-dATP and 2-OH-dATP, thus preventing misincorporation of oxidized purine nucleoside triphosphates into DNA and subsequently preventing A:T to C:G and G:C to T:A transversions. Able to hydrolyze also the corresponding ribonucleotides, 2-OH-ATP, 8-oxo-GTP and 8-oxo-ATP. Does not play a role in U8 snoRNA decapping activity. Binds U8 snoRNA.
<b>Tissue specificity</b>	Widely expressed with highest expression in thymus, testis, embryo and proliferating blood lymphocytes.
<b>Sequence similarities</b>	Belongs to the Nudix hydrolase family. Contains 1 nudix hydrolase domain.
<b>Developmental stage</b>	In peripheral blood lymphocytes, expressed at much higher levels in proliferating cells than in resting cells.
<b>Post-translational modifications</b>	The N-terminus is blocked.
<b>Cellular localization</b>	Cytoplasm. Mitochondrion matrix and Cytoplasm. Mitochondrion matrix. Nucleus. Mostly present in cytoplasm. Variant Met-124 has decreased efficiency in translocation to mitochondria.

---

## Images

---



**Observed band size : 18 kDa**

**Lane 1:** Wild type HAP1 whole cell lysate (20 µg)

**Lane 2:** NUDT1 knockout HAP1 whole cell lysate (20 µg)


**Lane 3:** Jurkat whole cell lysate (20 µg)

**Lane 4:** A549 whole cell lysate (20 µg)

**Lanes 1 - 4:** Merged signal (red and green).

Green - ab55527 observed at 18 kDa. Red - loading control, [ab181602](#), observed at 37 kDa.

ab55527 was shown not to specifically react with NUDT1 when NUDT1 knockout samples were used. Wild-type and NUDT1 knockout samples were subjected to SDS-PAGE. Ab55527 and [ab181602](#) (Rabbit anti GAPDH loading control) were incubated overnight at 4°C at 1 µg/ml and 1/10000 dilution respectively. Blots were developed with Goat anti-Mouse IgG H&L (IRDye® 800CW) preabsorbed [ab216772](#) and Goat anti-Rabbit IgG H&L (IRDye® 680RD) preabsorbed [ab216777](#) secondary antibodies at 1/10000 dilution for 1 hour at room temperature before imaging.



Western blot against tagged recombinant protein immunogen using ab55527 MTH1 antibody at 1µg/ml. Predicted band size of immunogen is 46 kDa

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

## **Our Abpromise to you: Quality guaranteed and expert technical support**

---

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

## **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors