

Product datasheet

Anti-IKB beta antibody ab55786

1 Image

Overview

| | |
|----------------------------|---|
| Product name | Anti-IKB beta antibody |
| Description | Mouse monoclonal to IKB beta |
| Tested applications | Suitable for: WB |
| Species reactivity | Reacts with: Human |
| Immunogen | Recombinant fragment: EDGDTALHLA VIHQHEPFLD FLLGFSAGTE YMDLQNDLGQ TALHLAAILG ETSTVEKLYA AGAGLCVAER RGHTALHLAC RVGAHACARA , corresponding to amino acids 56-145 of Human Ikb beta Run BLAST with ExPASy Run BLAST with NCBI |

Properties

| | |
|-----------------------------|---|
| Form | Liquid |
| Storage instructions | Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles. |
| Storage buffer | Preservative: None PBS, pH 7.2 |
| Purity | Protein G purified |
| Clonality | Monoclonal |
| Isotype | IgG2a |
| Light chain type | kappa |

Applications

Our [Abpromise guarantee](#) covers the use of **ab55786** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| Application | Abreviews | Notes |
|-------------|-----------|-------|
|-------------|-----------|-------|

WB


Application notes WB: Use at a concentration of 1-5 µg/ml.

Not yet tested in other applications.

Target

| | |
|---|---|
| Function | Inhibits NF-kappa-B by complexing with and trapping it in the cytoplasm. However, the unphosphorylated form resynthesized after cell stimulation is able to bind NF-kappa-B allowing its transport to the nucleus and protecting it to further NFKBIA-dependent inactivation. Association with inhibitor kappa B-interacting NKIRAS1 and NKIRAS2 prevent its phosphorylation rendering it more resistant to degradation, explaining its slower degradation. |
| Tissue specificity | Expressed in all tissues examined. |
| Sequence similarities | Belongs to the NF-kappa-B inhibitor family. Contains 6 ANK repeats. |
| Post-translational modifications | Phosphorylated by RPS6KA1; followed by degradation. Interaction with NKIRAS1 and NKIRAS2 probably prevents phosphorylation. |
| Cellular localization | Cytoplasm. Nucleus. |

Anti-IkB beta antibody images



Predicted band size : 38 kDa

IkB beta antibody (ab55786) at 1ug/lane + HL-60 cell lysate at 25ug/lane.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors