


Product datasheet

# Anti-Caspase-3 antibody ab59388

2 Images

Overview

<b>Product name</b>	Anti-Caspase-3 antibody
<b>Description</b>	Rabbit polyclonal to Caspase-3
<b>Tested applications</b>	<b>Suitable for:</b> ELISA, IHC-P, WB
<b>Species reactivity</b>	<b>Reacts with:</b> Mouse, Human <b>Predicted to work with:</b> Rat 
<b>Immunogen</b>	Synthetic peptide corresponding to Human Caspase-3. Synthetic non-phosphopeptide derived from human Caspase-3 around the phosphorylation site of serine 150 (C-R-SP-L-T). Database link: <a href="#">P42574</a>
<b>Positive control</b>	Human lymphnode.

Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
<b>Storage buffer</b>	Preservative: 0.02% Sodium Azide Constituents: 50% Glycerol, PBS, 150mM Sodium chloride, pH 7.4
<b>Purity</b>	Immunogen affinity purified
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab59388** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ELISA		1/5000.
IHC-P		Use at an assay dependent concentration.
WB		1/500 - 1/1000. Detects a band of approximately 38 kDa (predicted molecular weight: 32 kDa).

## Target

### Function

Involved in the activation cascade of caspases responsible for apoptosis execution. At the onset of apoptosis it proteolytically cleaves poly(ADP-ribose) polymerase (PARP) at a '216-Asp-Gly-217' bond. Cleaves and activates sterol regulatory element binding proteins (SREBPs) between the basic helix-loop-helix leucine zipper domain and the membrane attachment domain. Cleaves and activates caspase-6, -7 and -9. Involved in the cleavage of huntingtin.

### Tissue specificity

Highly expressed in lung, spleen, heart, liver and kidney. Moderate levels in brain and skeletal muscle, and low in testis. Also found in many cell lines, highest expression in cells of the immune system.

### Sequence similarities

Belongs to the peptidase C14A family.

### Post-translational modifications


Cleavage by granzyme B, caspase-6, caspase-8 and caspase-10 generates the two active subunits. Additional processing of the propeptides is likely due to the autocatalytic activity of the activated protease. Active heterodimers between the small subunit of caspase-7 protease and the large subunit of caspase-3 also occur and vice versa.

S-nitrosylated on its catalytic site cysteine in unstimulated human cell lines and denitrosylated upon activation of the Fas apoptotic pathway, associated with an increase in intracellular caspase activity. Fas therefore activates caspase-3 not only by inducing the cleavage of the caspase zymogen to its active subunits, but also by stimulating the denitrosylation of its active site thiol.

### Cellular localization

Cytoplasm.

## Anti-Caspase-3 antibody images




Peptide - +

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Caspase 3 antibody (ab59388)

Immunohistochemistry analysis of paraffin-embedded human lymph node tissue using ab59388 at a 1/50 dilution.

Left image: untreated.

Right image: treated with immunizing peptide.



Western blot - Caspase 3 antibody (ab59388)

**All lanes :** Anti-Caspase-3 antibody  
(ab59388) at 1/500 dilution

**Lane 1 :** Extracts from NIH/3T3 cells, treated with Etoposide (25 $\mu$ M, 24hours).

**Lane 2 :** Extracts from NIH/3T3 cells, treated with Etoposide (25 $\mu$ M, 24hours) with immunizing peptide

**Predicted band size :** 32 kDa

**Observed band size :** 26,38 kDa

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors