

Product datasheet

Anti-PI 3 Kinase p85 beta antibody ab70956

1 Image

Overview

Product name	Anti-PI 3 Kinase p85 beta antibody
Description	Rabbit polyclonal to PI 3 Kinase p85 beta
Tested applications	Suitable for: WB, ELISA
Species reactivity	Reacts with: Human
Immunogen	Synthetic peptide corresponding to amino acid residues surrounding Y464 of human PI 3 Kinase p85 beta conjugated to KLH.
Positive control	293 cell lysate transiently transfected with the PI 3 Kinase p85 beta gene.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
Storage buffer	Preservative: 0.09% Sodium Azide Constituents: PBS
Purity	Protein A purified
Purification notes	ab70956 is first purified by protein A affinity chromatography. Then, the antibody fraction is peptide affinity purified in a 2 step procedure with the control and phosphorylated peptides. The non phospho specific antibody is eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS.
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab70956** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.


Application	Abreviews	Notes
WB		1/50 - 1/100. Detects a band of approximately 82 kDa (predicted molecular weight: 82 kDa).

Application	Abreviews	Notes
ELISA		1/1000.

Target

Function	Regulatory subunit of phosphoinositide-3-kinase (PI3K), a kinase that phosphorylates PtdIns(4,5)P ₂ (Phosphatidylinositol 4,5-bisphosphate) to generate phosphatidylinositol 3,4,5-trisphosphate (PIP ₃). PIP ₃ plays a key role by recruiting PH domain-containing proteins to the membrane, including AKT1 and PDK1, activating signaling cascades involved in cell growth, survival, proliferation, motility and morphology. Binds to activated (phosphorylated) protein-tyrosine kinases, through its SH2 domain, and acts as an adapter, mediating the association of the p110 catalytic unit to the plasma membrane. Indirectly regulates autophagy (PubMed:23604317). Promotes nuclear translocation of XBP1 isoform 2 in a ER stress- and/or insulin-dependent manner during metabolic overloading in the liver and hence plays a role in glucose tolerance improvement.
Involvement in disease	Megalencephaly-polymicrogyria-polydactyly-hydrocephalus syndrome 1
Sequence similarities	Belongs to the PI3K p85 subunit family. Contains 1 Rho-GAP domain. Contains 2 SH2 domains. Contains 1 SH3 domain.
Domain	The SH2 2 domain is required for interaction with FBXL2 and PTPN13.
Post-translational modifications	Phosphorylated in response to signaling from activated receptor-type protein kinases (PubMed:19690332, PubMed:20068231). Dephosphorylated by PTPRJ (PubMed:18348712). Dephosphorylated at Tyr-655 by PTPN13. Phosphorylation of Tyr-655 impairs while its dephosphorylation promotes interaction with FBXL2 and SCF(FBXL2)-mediated polyubiquitination (PubMed:23604317). Ubiquitinated. Polyubiquitination by the SCF(FBXL2) complex probably promotes proteasomal degradation of PIK3R2.

Images



Western blot - PI 3 Kinase regulatory subunit beta (phospho Y464) antibody (ab70956)

All lanes : Anti-PI 3 Kinase p85 beta antibody (ab70956) at 1/50 dilution

Lane 1 : 293 cell lysates (nontransfected)

Lane 2 : 293 cell lysates transiently transfected with the PI 3 Kinase p85 beta gene

Lysates/proteins at 2 µg per lane.

Predicted band size : 82 kDa

Observed band size : 82 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors