

Product datasheet

Anti-IL33 antibody [4E9] ab72844

1 References 1 Image

Overview

Product name	Anti-IL33 antibody [4E9]
Description	Mouse monoclonal [4E9] to IL33
Host species	Mouse
Tested applications	Suitable for: WB, ELISA
Species reactivity	Reacts with: Human
Immunogen	Recombinant human IL33 (112-270 aa) purified from E. coli

Positive control

[Purchase matching WB positive control: Recombinant Human IL33 protein](#) >

Jurkat cell lysate

General notes

ab72844 is derived from hybridization of mouse FO myeloma cells with spleen cells from BALB/c mice immunized with a recombinant human IL33 protein.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
Storage buffer	Preservative: 0.1% Sodium Azide Constituents: PBS, pH 7.4
Purity	Protein G purified
Primary antibody notes	ab72844 is derived from hybridization of mouse FO myeloma cells with spleen cells from BALB/c mice immunized with a recombinant human IL33 protein.
Clonality	Monoclonal
Clone number	4E9
Isotype	IgG2b
Light chain type	kappa

Applications

Applications

Our [Abpromise guarantee](#) covers the use of **ab72844** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/2000. Detects a band of approximately 26 kDa (predicted molecular weight: 31 kDa).
ELISA		Use at an assay dependent dilution.

Target

Function

Cytokine that binds to and signals through the IL1RL1/ST2 receptor which in turn activates NF-kappa-B and MAPK signaling pathways in target cells (PubMed:16286016). Involved in the maturation of Th2 cells inducing the secretion of T-helper type 2-associated cytokines. Also involved in activation of mast cells, basophils, eosinophils and natural killer cells. Acts as a chemoattractant for Th2 cells, and may function as an "alarmin", that amplifies immune responses during tissue injury (PubMed:17853410, PubMed:18836528). In quiescent endothelia the uncleaved form is constitutively and abundantly expressed, and acts as a chromatin-associated nuclear factor with transcriptional repressor properties, it may sequester nuclear NF-kappaB/RELA, lowering expression of its targets (PubMed:21734074). This form is rapidly lost upon angiogenic or proinflammatory activation (PubMed:18787100).

Tissue specificity

Expressed at high level in high endothelial venules found in tonsils, Peyer patches and mesenteric lymph nodes. Almost undetectable in placenta.

Sequence similarities

Belongs to the IL-1 family. Highly divergent.

Domain

The homeodomain-like HTH domain mediates nuclear localization and heterochromatin association.


Post-translational modifications

The full length protein can be released from cells and is able to signal via the IL1RL1/ST2 receptor. However, proteolytic processing by CSTG/cathepsin G and ELANE/neutrophil elastase produces C-terminal peptides that are more active than the unprocessed full length protein. May also be proteolytically processed by calpains (PubMed:19596270). Proteolytic cleavage mediated by apoptotic caspases including CASP3 and CASP7 results in IL33 inactivation (PubMed:19559631). In vitro proteolytic cleavage by CASP1 was reported (PubMed:16286016) but could not be confirmed in vivo (PubMed:19465481) suggesting that IL33 is probably not a direct substrate for that caspase.

Cellular localization

Nucleus. Chromosome. Cytoplasmic vesicle, secretory vesicle. Secreted. Associates with heterochromatin and mitotic chromosomes (PubMed:17185418).

Images



Anti-IL33 antibody [4E9] (ab72844) at 1/500 dilution + Jurkat cell lysate at 35 µg

Secondary

goat anti-mouse secondary antibody conjugated to HRP

Developed using the ECL technique.

Predicted band size: 31 kDa

Observed band size: 26 kDa

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors