


Product datasheet

Anti-DBX1 antibody ab87327

1 Image

Overview

Product name	Anti-DBX1 antibody
Description	Rabbit polyclonal to DBX1
Tested applications	Suitable for: WB
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat, Rabbit, Horse, Guinea pig, Cow, Cat, Dog 
Immunogen	Synthetic peptide corresponding to a region within internal sequence amino acids 288-337 (GCREQTLPTK LNPDPDLSDV GQKGPNEEE EEGPGSPSHR LAYHASSDPQ) of Human DBX1 (NP_001025036). Run BLAST with ExPASy Run BLAST with NCBI
Positive control	Human fetal spleen lysate.

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.
Storage buffer	Preservative: None Constituents: 2% Sucrose, PBS
Purity	Immunogen affinity purified
Clonality	Polyclonal
Isotype	IgG

Applications

Our [Abpromise guarantee](#) covers the use of **ab87327** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use a concentration of 1 µg/ml. Detects a band of approximately 41 kDa (predicted molecular weight: 41 kDa). Good results were obtained when blocked with 5% non-fat dry milk in 0.05% PBS-T.

Target


Relevance

Dbx1 homeodomain transcription factor is expressed in progenitors at the boundary between the dorsal and ventral plates of the caudal neural tube, from which postmitotic cells migrate tangentially to their final destination. Dbx1 is implicated in patterning the central nervous system during embryogenesis. Cell fate allocation and cell diversity are determined at very early stages in progenitor cells at precise coordinates along the dorsoventral and anteroposterior axis. In the spinal cord, the spatially restricted expression of Dbx1 in progenitors is critical in establishing interneuron cell fates and helps coordinate diverse phenotypic features. In the telencephalon, Dbx1 is expressed in restricted progenitor domains at the borders of the developing pallium.

Cellular localization

Nuclear

Images



Anti-DBX1 antibody (ab87327) at 1 µg/ml (in 5% skim milk / PBS buffer) + Human fetal spleen lysate at 10 µg

Secondary

HRP conjugated anti-Rabbit IgG at 1/50000 dilution

Predicted band size : 41 kDa

Observed band size : 41 kDa

Additional bands at : 55 kDa, <22 kDa. We are unsure as to the identity of these extra bands.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors