

Product datasheet

Anti-PAX8 antibody ab89508

4 Images

Overview

<b>Product name</b>	Anti-PAX8 antibody
<b>Description</b>	Mouse monoclonal to PAX8
<b>Tested applications</b>	<b>Suitable for:</b> WB, ELISA
<b>Species reactivity</b>	<b>Reacts with:</b> Human
<b>Immunogen</b>	Recombinant full length Human protein (AAH01060) with a proprietary tag.
<b>Positive control</b>	Liver tissue lysate; LNCap or Hs 181.Tes cell lysate.

Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
<b>Storage buffer</b>	Preservative: None Constituents: 1X PBS, pH 7.2
<b>Purity</b>	Protein A purified
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgG2a
<b>Light chain type</b>	kappa

Applications

Our [Abpromise guarantee](#) covers the use of **ab89508** in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use a concentration of 1 - 5 µg/ml. Predicted molecular weight: 48 kDa.
ELISA		Use at an assay dependent dilution.

## Target


<b>Function</b>	Transcription factor for the thyroid-specific expression of the genes exclusively expressed in the thyroid cell type, maintaining the functional differentiation of such cells.
<b>Tissue specificity</b>	Expressed in the excretory system, thyroid gland and Wilms tumors.
<b>Involvement in disease</b>	Defects in PAX8 are the cause of congenital hypothyroidism non-goitrous type 2 (CHNG2) [MIM:218700]. CHNG2 is a disease characterized by thyroid dysgenesis, the most frequent cause of congenital hypothyroidism, accounting for 85% of case. The thyroid gland can be completely absent (athyreosis), ectopically located and/or severely hypoplastic. Ectopic thyroid gland is the most frequent malformation, with thyroid tissue being found most often at the base of the tongue.
<b>Sequence similarities</b>	Contains 1 paired domain.
<b>Developmental stage</b>	In developing excretory system, during thyroid differentiation and in adult thyroid.
<b>Cellular localization</b>	Nucleus.

## Images




Anti-PAX8 antibody (ab89508) at 5 µg/ml +  
Human liver lysate at 50 µg

**Predicted band size : 48 kDa**




Anti-PAX8 antibody (ab89508) at 5 µg/ml +  
LNCaP cell lysate at 50 µg

**Predicted band size : 48 kDa**



Anti-PAX8 antibody (ab89508) at 5 µg/ml +  
Hs 181.Tes cell lysate at 50 µg

**Predicted band size : 48 kDa**



Anti-PAX8 antibody (ab89508) at 5 µg/ml +  
immunogen (full length recombinant protein  
with a tag of 26kDa) at 0.2 µg

**Predicted band size : 48 kDa**

**Observed band size : 75 kDa**

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

### Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors