

Product datasheet

Human FBXO31 protein fragment ab92209

1 Image

Overview

Product name	Human FBXO31 protein fragment
Protein length	Protein fragment

Description

Nature	Recombinant
Source	Escherichia coli
Amino Acid Sequence	
Species	Human
Sequence	DLIKPGLFKGTYGSHGLEMMLSFHGRRARGTKITGDPNIPAGQQTVEI DLRHRIQLPDLENQRNFNELSRVLEVRERVRQEQQEGGHEAGEGRGRQ GPRESQPSPAQPRAEAPSKGPDGTPGEDGGEPGDAVAAAQPAQCGQG Q PFVLPVGVSSRNEDYPRTCRMCFYGTGLIAGHGFTSPERTPGVFILF DE DRFGFVWLELKSFSLYSRVQATFRNADAPSPQAFDEMLKNIQSLTS
Amino acids	298 to 539

Specifications

Our [Abpromise guarantee](#) covers the use of **ab92209** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Applications	SDS-PAGE Mass Spectrometry
Form	Lyophilised
Additional notes	Protein Identity confirmed by Mass Spectrometry (MS/MS) (acquired on initial reference batch)

Preparation and Storage

Stability and Storage	Shipped at 4°C. Upon delivery aliquot and store at -80°C. Avoid freeze / thaw cycles. Preservative: None Constituents: 0.5% Trehalose, 6M Urea, 100mM Sodium phosphate, 10mM Sodium chloride, pH 4.5
------------------------------	--


Reconstitution

Reconstitute with 138 µl aqua dest.

General Info

Function	Component of some SCF (SKP1-cullin-F-box) protein ligase complex that plays a central role in G1 arrest following DNA damage. Specifically recognizes phosphorylated cyclin-D1 (CCND1), promoting its ubiquitination and degradation by the proteasome, resulting in G1 arrest. May act as a tumor suppressor.
Tissue specificity	Highly expressed in brain. Expressed at moderate levels in most tissues, except bone marrow.
Pathway	Protein modification; protein ubiquitination.
Sequence similarities	Belongs to the FBXO31 family. Contains 1 F-box domain.
Developmental stage	Expression is cell-cycle regulated, and peaks at late G2 to early G1 phase (at protein level).
Post-translational modifications	Phosphorylation at Ser-278 by ATM following gamma-irradiation results in its stabilization.

Human FBXO31 protein fragment images



The image shows an electrophoretic assay performed using an Agilent 5100 ALP. In some images coloured control bands can be seen at 15 kDa (green) and/or 240 kDa (purple). The protein-specific band is blue.

Please note: All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors