

## Product datasheet

# Anti-GSK3 beta (phospho S9) antibody ab9769

[4 References](#)   [2 Images](#)

### Overview

<b>Product name</b>	Anti-GSK3 beta (phospho S9) antibody
<b>Description</b>	Rabbit polyclonal to GSK3 beta (phospho S9)
<b>Host species</b>	Rabbit
<b>Specificity</b>	Gives strong signal to GSK 3 beta in westerns at the estimated mol weight (49 kD). May show very weak reactivity to GSK 3 alpha.
<b>Tested applications</b>	<b>Suitable for:</b> WB
<b>Species reactivity</b>	<b>Reacts with:</b> Human
<b>Immunogen</b>	Synthetic peptide: RRTT <sub>p</sub> SFAE, corresponding to amino acids 4-12 of Human GSK3 beta. <div style="text-align: right;"> <a href="#">Run BLAST with</a>   <a href="#">Run BLAST with</a> </div>

### Properties

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
<b>Storage buffer</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, 0.01% Sodium Azide, pH 7.2
<b>Purity</b>	Immunogen affinity purified
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG

### Applications

Our [Abpromise guarantee](#) covers the use of **ab9769** in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000.

### Target

---

**Function**

Participates in the Wnt signaling pathway. Implicated in the hormonal control of several regulatory proteins including glycogen synthase, MYB and the transcription factor JUN. Phosphorylates JUN at sites proximal to its DNA-binding domain, thereby reducing its affinity for DNA. Phosphorylates MUC1 in breast cancer cells, and decreases the interaction of MUC1 with CTNNB1/beta-catenin. Phosphorylates CTNNB1/beta-catenin. Phosphorylates SNAI1. Plays an important role in ERBB2-dependent stabilization of microtubules at the cell cortex. Prevents the phosphorylation of APC and CLASP2, allowing its association with the cell membrane. In turn, membrane-bound APC allows the localization of MACF1 to the cell membrane, which is required for microtubule capture and stabilization. Phosphorylates MACF1 and this phosphorylation inhibits the binding of MACF1 to microtubules which is critical for its role in bulge stem cell migration and skin wound repair.

**Tissue specificity**

Expressed in testis, thymus, prostate and ovary and weakly expressed in lung, brain and kidney.

**Sequence similarities**

Belongs to the protein kinase superfamily. CMGC Ser/Thr protein kinase family. GSK-3 subfamily.

Contains 1 protein kinase domain.

**Post-translational modifications**

Phosphorylated by AKT1 and ILK1. Activated by phosphorylation at Tyr-216.


**Cellular localization**

Cytoplasm. Nucleus. Cell membrane. The phosphorylated form shows localization to cytoplasm and cell membrane. The MEMO1-RHOA-DIAPH1 signaling pathway controls localization of the phosphorylated form to the cell membrane.

---

**Images**

---



Western blot - Anti-GSK3 beta (phospho S9) antibody (ab9769)

This image is courtesy of Angela Carter, Experimental Therapeutics, Ontario Cancer Inst, Toronto, Canada

Rabbit polyclonal to phospho GSK beta (Ser 9) at 1/1000 on 293T cell extract shows a band at 49 kD.

Cells were serum starved for 24 hours:

Lane 1 : control

Lane 2 : treated with IGF-1 (100 ng/ml) for 20 min

Lane 3 : pre-treated with 10 uM LY294002 (selective PI3K inhibitor) and treated with IGF-1 (100 ng/ml) for 20 min


Rabbit polyclonal to phospho GSK beta (Ser 9) at 1/1000 on 293T cell extract shows a band at 49 kD.

Cells were serum starved for 24 hours:

Lane 1 : control

Lane 2 : treated with IGF-1 (100 ng/ml) for 20 min

Lane 3 : pre-treated with 10 uM LY294002 (selective PI3K inhibitor) and treated with IGF-1 (100 ng/ml) for 20 min



IHC-P of ab9769 at 1:100 dilution detecting phosphorylated Huntingtin in human brain cerebellum. Positive cytoplasmic staining is observed in neurons.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-GSK3 beta (phospho S9) antibody (ab9769)

**Please note:** All products are "FOR RESEARCH USE ONLY AND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

**Our Abpromise to you: Quality guaranteed and expert technical support**

- Replacement or refund for products not performing as stated on the datasheet

- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
  
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <http://www.abcam.com/abpromise> or contact our technical team.

### **Terms and conditions**

---

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors