abcam

Product datasheet

Anti-AHNAK antibody ab223709

2 Images

Overview

Product name Anti-AHNAK antibody

Description Rabbit polyclonal to AHNAK

Host species Rabbit

Tested applications Suitable for: IHC-P, ICC/IF

Species reactivity Reacts with: Human

Immunogen Recombinant fragment corresponding to Human AHNAK aa 4950-5150.

Database link: Q09666

Run BLAST with
Run BLAST with

Positive control ICC/IF: A431 cells. IHC-P: Human rectum tissue.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

Storage buffer pH: 7.20

Preservative: 0.02% Sodium azide

Constituents: 40% Glycerol (glycerin, glycerine), PBS

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

Applications

1

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab223709 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/500 - 1/1000. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
ICC/IF		Use a concentration of 0.25 - 2 µg/ml. Fixation/Permeabilization: PFA/Triton X-100.


Target

Function May be required for neuronal cell differentiation.

Sequence similarities Contains 1 PDZ (DHR) domain.


Cellular localization Nucleus.

Images



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-AHNAK antibody (ab223709)

Paraffin embedded sections of human rectum tissue were stained for AHNAK with ab223709 at 1/500 dilution in immunohistochemical analysis.



Immunocytochemistry/ Immunofluorescence - Anti-AHNAK antibody (ab223709)

PFA-fixed, Triton X-100 permeabilized A431 (human epidermoid carcinoma cell line) cells stained for AHNAK (green) using ab223709 at 4 μ g/ml in ICC/IF.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors