abcam

Product datasheet

Anti-ALIX antibody [EPR15314] - N-terminal ab186429

Recombinant RabMAb

★★★★★ 3 Abreviews 69 References 3 Images

Overview

Product name Anti-ALIX antibody [EPR15314] - N-terminal

Description Rabbit monoclonal [EPR15314] to ALIX - N-terminal

Host species Rabbit

Tested applications Suitable for: WB

Unsuitable for: Flow Cyt

Species reactivity Reacts with: Mouse, Rat, Human

Immunogen Recombinant fragment. This information is proprietary to Abcam and/or its suppliers.

Positive control 293, HeLa, K562, Jurkat, RAW 264.7, PC12, and NIH 3T3 cell lysates; Jurkat cells.

General notes This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply - Animal-free production

For more information **see here**.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

Storage buffer pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: 59% PBS, 0.05% BSA, 40% Glycerol

Purity Protein A purified

Clonality Monoclonal Clone number EPR15314

Isotype ΙgG

Applications

The Abpromise quarantee

Our Abpromise quarantee covers the use of ab186429 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB	* * * * * * * * * * * * * * * * * * *	1/1000 - 1/10000. Detects a band of approximately 97, 80 kDa (predicted molecular weight: 97 kDa).

Application notes

Is unsuitable for Flow Cyt.

Target

Function

Class E VPS protein involved in concentration and sorting of cargo proteins of the multivesicular body (MVB) for incorporation into intralumenal vesicles (ILVs) that are generated by invagination and scission from the limiting membrane of the endosome. Binds to the phospholipid lysobisphosphatidic acid (LBPA) which is abundant in MVBs internal membranes. The MVB pathway appears to require the sequential function of ESCRT-O, -I,-II and -III complexes. The ESCRT machinery also functions in topologically equivalent membrane fission events, such as the terminal stages of cytokinesis and enveloped virus budding (HIV-1 and other lentiviruses). Appears to be an adapter for a subset of ESCRT-III proteins, such as CHMP4, to function at distinct membranes. Required for completion of cytokinesis. Involved in HIV-1 virus budding. Can replace TSG101 it its role of supporting HIV-1 release; this function implies the interaction with CHMP4B. May play a role in the regulation of both apoptosis and cell proliferation.


Sequence similarities

Cellular localization

Contains 1 BRO1 domain.

Cytoplasm > cytosol. Melanosome. Cytoplasm > cytoskeleton > centrosome. Identified by mass spectrometry in melanosome fractions from stage I to stage IV. Colocalized with CEP55 in the midbody during cytokinesis. Colocalized with CEP55 at centrosomes of non-dividing cells.

Images



Western blot - Anti-ALIX antibody [EPR15314] - Nterminal (ab186429)

All lanes : Anti-ALIX antibody [EPR15314] - N-terminal (ab186429) at 1/5000 dilution

Lane 1: C6 cell lysate

Lane 2: RAW 264.7 cell lysate


Lane 3 : PC12 cell lysate
Lane 4 : NIH/3T3 cell lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit lgG, (H+L), Peroxidase conjugated at 1/1000 dilution

Predicted band size: 97 kDa



Western blot - Anti-ALIX antibody [EPR15314] - Nterminal (ab186429)

All lanes : Anti-ALIX antibody [EPR15314] - N-terminal (ab186429) at 1/5000 dilution

Lane 1: 293 cell lysate

Lane 2: HeLa cell lysate

Lane 3: K562 cell lysate


Lane 4: Jurkat cell lysate

Lysates/proteins at 20 µg per lane.

Secondary

All lanes : Goat Anti-Rabbit lgG, (H+L), Peroxidase conjugated at 1/1000 dilution

Predicted band size: 97 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors