# abcam

## Product datasheet

# APC Anti-CD41 antibody [MEM-06] ab55866

### 1 Image

Overview	

Product name	APC Anti-CD41 antibody [MEM-06]	
Description	APC Mouse monoclonal [MEM-06] to CD41	
Host species	Mouse	
Conjugation	APC. Ex: 645nm, Em: 660nm	
Tested applications	Suitable for: Flow Cyt	
Species reactivity	Reacts with: Human	
Immunogen	Tissue, cells or virus corresponding to Human CD41. Leukocytes of patient suffering from LGL- type leukaemia.	
Positive control	Flow Cyt: Human platelets.	
General notes	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.	
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As	
Properties		
Form	Liquid	
Storage instructions	Shipped at 4°C. Store at +4°C.	

Storage instructions	Shipped at 4°C. Store at +4°C.
Storage buffer	pH: 7.4 Preservative: 0.097% Sodium azide Constituents: 0.2% BSA, PBS
Purity	Size exclusion
Clonality	Monoclonal
Clone number	MEM-06
lsotype	lgG1

The Abpromise guarantee


Our **Abpromise guarantee** covers the use of ab55866 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Flow Cyt		Use $10\mu$ I for $10^6$ cells. Use $10\mu$ I for $10^6$ cells in a suspension, or $100\mu$ I of whole blood. The content of a vial (1 ml) is sufficient for 100 tests. <b>ab37391</b> - Mouse monoclonal IgG1, is suitable for use as an isotype control with this antibody.

Target	
Function	Integrin alpha-IIb/beta-3 is a receptor for fibronectin, fibrinogen, plasminogen, prothrombin, thrombospondin and vitronectin. It recognizes the sequence R-G-D in a wide array of ligands. It recognizes the sequence H-H-L-G-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain. Following activation integrin alpha-IIb/beta-3 brings about platelet/platelet interaction through binding of soluble fibrinogen. This step leads to rapid platelet aggregation which physically plugs ruptured endothelial cell surface.
Tissue specificity	Isoform 1 and isoform 2 were identified in platelets and megakaryocytes, but not in reticulocytes or in Jurkat and U937 white blood cell line. Isoform 3 is expressed by leukemia, prostate adenocarcinoma and melanoma cells but not by platelets or normal prostate or breast epithelial cells.
Involvement in disease	Defects in ITGA2B are a cause of Glanzmann thrombasthenia (GT) [MIM:273800]; also known as thrombasthenia of Glanzmann and Naegeli. GT is the most common inherited disease of platelets. It is an autosomal recessive disorder characterized by mucocutaneous bleeding of mile to-moderate severity and the inability of this integrin to recognize macromolecular or synthetic peptide ligands. GT has been classified clinically into types I and II. In type I, platelets show absence of the glycoprotein IIb/beta-3 complexes at their surface and lack fibrinogen and clot retraction capability. In type II, the platelets express the glycoprotein IIb/beta-3 complex at reduce levels (5-20% controls), have detectable amounts of fibrinogen, and have low or moderate clot retraction capability. The platelets of GT 'variants' have normal or near normal (60-100%) expression of dysfunctional receptors.
Sequence similarities	Belongs to the integrin alpha chain family.
	Contains 7 FG-GAP repeats.

Images



Surface staining of human platelets with ab55866.

06] (ab55866)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.com/abpromise</u> or contact our technical team.

#### **Terms and conditions**

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors