# abcam

## Product datasheet

# Biotin Anti-TL1A antibody ab84233

Overview

Product name Biotin Anti-TL1A antibody

**Description**Biotin Rabbit polyclonal to TL1A

Host species Rabbit

Conjugation Biotin

Tested applications Suitable for: Sandwich ELISA, WB

Species reactivity Reacts with: Human

Immunogen Recombinant full length protein corresponding to Human TL1A. Highly pure (>98%)

Database link: **<u>095150-1</u>** 

**General notes**The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

**Properties** 

Form Lyophilized:Reconstitute in 100 µl sterile PBS containing 0.1% BSA

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Store at -20°C or -80°C. Avoid freeze /

thaw cycle.

Storage buffer Constituents: 0.1% BSA, PBS

Purity Protein A purified

Purification notes Sterile filtered prior to lyophilization

**Clonality** Polyclonal

**Isotype** IgG

**Applications** 

The Abpromise guarantee Our Abpromise guarantee covers the use of ab84233 in the following tested applications.

1

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
Sandwich ELISA		Use at an assay dependent concentration.
WB		Use at an assay dependent concentration.

#### **Target**

Function	Receptor for TNFRSF25 and TNFRSF6B. Mediates activation of NF-kappa-B. Inhibits vascular endothelial growth and angiogenesis (in vitro). Promotes activation of caspases and apoptosis.	
Tissue specificity	Specifically expressed in endothelial cells. Detected in monocytes, placenta, lung, liver, kidney, skeletal muscle, pancreas, spleen, prostate, small intestine and colon.	
Sequence similarities	Belongs to the tumor necrosis factor family.	
Cellular localization	Secreted and Membrane.	

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors