abcam

Product datasheet

Anti-CACNB1/CAB1 antibody ab230019

2 Images

Overview

Product name Anti-CACNB1/CAB1 antibody

Description Rabbit polyclonal to CACNB1/CAB1

Host species Rabbit

Tested applications Suitable for: WB, IHC-P

Species reactivity Reacts with: Mouse, Human

Predicted to work with: Rat, Cow

Immunogen Recombinant fragment corresponding to Human CACNB1/CAB1 aa 400 to the C-terminus.

Database link: Q02641

Run BLAST with
Run BLAST with

Positive control WB: Mouse liver lysate. IHC-P: Human brain tissue.

General notesThe Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long

term. Avoid freeze / thaw cycle.

Storage buffer pH: 7.30

Preservative: 0.02% Sodium azide

Constituents: PBS, 50% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

1

Applications

The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab230019 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/5000. Detects a band of approximately 66 kDa (predicted molecular weight: 66 kDa).
IHC-P		1/20 - 1/200.

Target


Function	The beta subunit of voltage-dependent calcium channels contributes to the function of the calcium channel by increasing peak calcium current, shifting the voltage dependencies of activation and inactivation, modulating G protein inhibition and controlling the alpha-1 subunit membrane targeting.
Tissue specificity	lsoform 1 and isoform 3 are expressed in brain, heart, spleen, central nervous system and neuroblastoma cells. Isoform 2 is expressed in skeletal muscle.

Sequence similaritiesBelongs to the calcium channel beta subunit family.

Contains 1 SH3 domain.

Cellular localization Cell membrane > sarcolemma.

Images




Western blot - Anti-CACNB1/CAB1 antibody (ab230019)

Anti-CACNB1/CAB1 antibody (ab230019) at 1/1000 dilution + Mouse liver lysate

Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 66 kDa **Observed band size:** 66 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-CACNB1/CAB1 antibody (ab230019) Paraffin-embedded human brain tissue stained for CACNB1/CAB1 using ab230019 at 1/100 dilution in immunohistochemical analysis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors