

## Product datasheet

# Anti-CD134 / OX40L receptor antibody [AP-MAB0833] ab80677

### Overview

---

<b>Product name</b>	Anti-CD134 / OX40L receptor antibody [AP-MAB0833]
<b>Description</b>	Rat monoclonal [AP-MAB0833] to CD134 / OX40L receptor
<b>Host species</b>	Rat
<b>Tested applications</b>	<b>Suitable for:</b> IHC-Fr, Flow Cyt, Cellular Activation <b>Unsuitable for:</b> Inhibition
<b>Species reactivity</b>	<b>Reacts with:</b> Mouse
<b>Immunogen</b>	Recombinant full length protein corresponding to Mouse CD134/ OX40L receptor.
<b>General notes</b>	

This antibody was produced from a hybridoma (mouse myeloma) fused with spleen cells from an immunized rat.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As

### Properties

---

<b>Form</b>	Liquid
<b>Storage instructions</b>	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.
<b>Storage buffer</b>	Constituent: PBS
<b>Purity</b>	Protein A purified
<b>Purification notes</b>	The IgG fraction of culture supernatant was purified by Protein A/G affinity chromatography and lyophilized from a 0.2 µm filtered solution. Endotoxin Level: Extremely low level of LPS (< 0.002EU/µg IgG). The antibody is produced by in vitro culture.
<b>Primary antibody notes</b>	This antibody was produced from a hybridoma (mouse myeloma) fused with spleen cells from an immunized rat.

<b>Clonality</b>	Monoclonal
<b>Clone number</b>	AP-MAB0833
<b>Isotype</b>	IgG1

## Applications

**The Abpromise guarantee** Our **Abpromise guarantee** covers the use of ab80677 in the following tested applications. The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-Fr		Use at an assay dependent concentration.
Flow Cyt		Use at an assay dependent concentration. <b>ab18407</b> - Rat monoclonal IgG1, is suitable for use as an isotype control with this antibody.
Cellular Activation		Use at an assay dependent concentration. For the stimulation of T cell proliferation.

**Application notes** Is unsuitable for Inhibition.

## Target

<b>Function</b>	Receptor for TNFSF4/OX40L/GP34.
<b>Sequence similarities</b>	Contains 4 TNFR-Cys repeats.
<b>Cellular localization</b>	Membrane.

**Please note:** All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

## Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors