abcam

Product datasheet

Anti-Cdc26 / Apc12 antibody ab96346

<u>1 References</u> 2 Images

Overview		
Product name	Anti-Cdc26 / Apc12 antibody	
Description	Rabbit polyclonal to Cdc26 / Apc12	
Host species	Rabbit	
Tested applications	Suitable for: WB, ICC/IF	
Species reactivity	Reacts with: Human	
	Predicted to work with: Mouse, Rat, Cow	
Immunogen	Recombinant fragment, corresponding to a region within the N terminal amino acids 1-55 of Human Cdc26/ Apc12 (NP_644815)	
Positive control	293T lysate; A431 cells for IF; H1299 whole cell lysate for WB	
General notes	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.	
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As	
Properties		
Form	Liquid	
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C or -80°C. Avoid repeated freeze / thaw cycles.	
Storage buffer	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 1.21% Tris, 0.75% Glycine, 10% Glycerol (glycerin, glycerine)	
Purity	Immunogen affinity purified	
Clonality	Polyclonal	
Isotype	lgG	

The Abpromise guarantee Our <u>Abpromise guarantee</u> covers the use of ab96346 in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/3000. Predicted molecular weight: 10 kDa.
ICC/IF		1/100 - 1/200.

Target	
Relevance	The protein encoded by this gene is highly similar to Saccharomyces cerevisiae Cdc26, a component of cell cycle anaphase-promoting complex (APC). APC is composed of a group of highly conserved proteins and functions as a cell cycle-regulated ubiquitin-protein ligase. APC thus is responsible for the cell cycle regulated proteolysis of various proteins.
Cellular localization	Nuclear

Images


. .



Western blot - Anti-Cdc26 / Apc12 antibody (ab96346) Anti-Cdc26 / Apc12 antibody (ab96346) at 1/1000 dilution + H1299 whole cell lysate at 30 μg

Predicted band size: 10 kDa

15% SDS PAGE



Immunofluorescence analysis of paraformaldehyde-fixed A431 cells, using ab96346 at 1/200 dilution. Lower image merged with DNA probe.

Immunocytochemistry/ Immunofluorescence - Anti-Cdc26 / Apc12 antibody (ab96346)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.com/abpromise</u> or contact our technical team.

Terms and conditions

Guarantee only valid for products bought direct from Abcam or one of our authorized distributors