abcam

Product datasheet

Anti-CPSF73 antibody ab154596

1 Image

.

_

Overview	
Product name	Anti-CPSF73 antibody
Description	Rabbit polyclonal to CP
Host species	Rabbit
Tested applications	Suitable for: WB

Description	Rabbit polyclonal to CPSF73	
Host species	Rabbit	
Tested applications	Suitable for: WB	
Species reactivity	Reacts with: Human	
	Predicted to work with: Mouse, Rat, Cow, Xenopus laevis, Zebrafish, Xenopus tropicalis 🛛 🔺	
Immunogen	Recombinant fragment, corresponding to a region within amino acids 74-306 of Human CPSF73 (UniProt ID: Q9UKF6).	
Positive control	293T, A431 whole cell lysate	
General notes	The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.	
	If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As	

Pro	perties
	20100

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.00 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 78.99% PBS, 1% BSA, 20% Glycerol (glycerin, glycerine)
Purity	Immunogen affinity purified
Clonality	Polyclonal
lsotype	lgG

Applications


Our <u>Abpromise guarantee</u> covers the use of ab154596 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/500 - 1/3000. Predicted molecular weight: 77 kDa.

Target	
Function	Component of the cleavage and polyadenylation specificity factor (CPSF) complex that play a key role in pre-mRNA 3'-end formation, recognizing the AAUAAA signal sequence and interacting with poly(A) polymerase and other factors to bring about cleavage and poly(A) addition. Has endonuclease activity, and functions as mRNA 3'-end-processing endonuclease. Also involved in the histone 3'-end pre-mRNA processing. U7 snRNP-dependent protein that induces both the 3'-endoribonucleolytic cleavage of histone pre-mRNAs and acts as a 5' to 3' exonuclease for degrading the subsequent downstream cleavage product (DCP) of mature histone mRNAs. Cleavage occurs after the 5'-ACCCA-3' sequence in the histone pre-mRNA leaving a 3'hydroxyl group on the upstream fragment containing the stem loop (SL) and 5' phosphate on the downstream cleavage product (DCP) starting with CU nucleotides. The U7-dependent 5' to 3' exonuclease activity is processive and degrades the DCP RNA substrate even after complete removal of the U7-binding site. Binds to the downstream cleavage product (DCP) of histone pre-mRNAs and the cleaved DCP RNA substrate in a U7 snRNP dependent manner.
Sequence similarities	Belongs to the metallo-beta-lactamase superfamily. RNA-metabolizing metallo-beta-lactamase- like family. CPSF3 subfamily.
Post-translational modifications	Sumoylated on Lys-462, Lys-465 and Lys-545, preferentially by SUMO3.
Cellular localization	Nucleus.





Anti-CPSF73 antibody (ab154596) at 1/2000 dilution + A431 whole cell lysate at 30 µg

Predicted band size: 77 kDa

7.5% SDS PAGE

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <u>https://www.abcam.com/abpromise</u> or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors