abcam

Product datasheet

Anti-Extra Cellular Adherence Protein antibody ab92982

1 References

Overview

Product name Anti-Extra Cellular Adherence Protein antibody

Description Rabbit polyclonal to Extra Cellular Adherence Protein

Host species Rabbit

Tested applications Suitable for: ELISA, WB

Species reactivity Reacts with: Staphylococcus aureus

Immunogen Synthetic peptide corresponding to C terminal residues of Staphylococcus aureus Extra Cellular

Adherence Protein

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Storage buffer pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: PBS, 50% Glycerol (glycerin, glycerine)

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab92982 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
ELISA		1/2000 - 1/5000.
WB		Use a concentration of 1 µg/ml. Predicted molecular weight: 15 kDa. This antibody has been tested in Western blot against the recombinant peptide used as an immunogen. We have no data on detection of endogenous protein.

Target

Relevance

Extracellular adherence protein (Eap) is a multifunctional staphylococcal protein and broadspectrum adhesin for several host matrix and plasma proteins. It has been shown to delay wound healing by interfering with host defense and angiogenesis.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors