## abcam

#### Product datasheet

# Anti-PDGFR beta (phospho Y1009) antibody [EP2137Y] ab108386

RabMAb

1 Image

#### Overview

Product name Anti-PDGFR beta (phospho Y1009) antibody [EP2137Y]

**Description** Rabbit monoclonal [EP2137Y] to PDGFR beta (phospho Y1009)

Host species Rabbit

Tested applications Suitable for: WB

Unsuitable for: Flow Cyt,ICC/IF,IHC-P or IP

Species reactivity Reacts with: Mouse

Predicted to work with: Human

**Immunogen** Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control NIH3T3 cell lysate, treated with PDGF.

General notes Our RabMAb® technology is a patented hybridoma-based technology for making rabbit

monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Rat: We have preliminary internal testing data to indicate this antibody may not react with this

species. Please contact us for more information.

**Properties** 

Form Liquid

**Storage instructions** Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

Storage buffer pH: 7.20

Preservative: 0.05% Sodium azide

1

Constituents: 0.1% BSA, 40% Glycerol (glycerin, glycerine), 9.85% Tris glycine, 50% Tissue

culture supernatant

**Purity** Tissue culture supernatant

Clonality Monoclonal
Clone number EP2137Y

**Isotype** IgG

#### **Applications**

#### The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab108386 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/10000. Predicted molecular weight: 124 kDa.

**Application notes** 

Is unsuitable for Flow Cyt,ICC/IF,IHC-P or IP.

#### **Target**

**Function** 

Receptor that binds specifically to PDGFB and PDGFD and has a tyrosine-protein kinase activity. Phosphorylates Tyr residues at the C-terminus of PTPN11 creating a binding site for the SH2 domain of GRB2.

#### Involvement in disease

Note=A chromosomal aberration involving PDGFRB is found in a form of chronic myelomonocytic leukemia (CMML). Translocation t(5;12)(q33;p13) with EVT6/TEL. It is characterized by abnormal clonal myeloid proliferation and by progression to acute myelogenous leukemia (AML). Note=A chromosomal aberration involving PDGFRB may be a cause of acute myelogenous leukemia. Translocation t(5;14)(q33;q32) with TRIP11. The fusion protein may be involved in clonal evolution of leukemia and eosinophilia.

Note=A chromosomal aberration involving PDGFRB may be a cause of juvenile myelomonocytic leukemia. Translocation t(5;17)(q33;p11.2) with SPECC1.

Defects in PDGFRB are a cause of myeloproliferative disorder chronic with eosinophilia (MPE) [MIM:131440]. A hematologic disorder characterized by malignant eosinophils proliferation. Note=A chromosomal aberration involving PDGFRB is found in many instances of

myeloproliferative disorder chronic with eosinophilia. Translocation t(5;12) with ETV6 on

chromosome 12 creating an PDGFRB-ETV6 fusion protein.

Note=A chromosomal aberration involving PDGFRB may be the cause of a myeloproliferative disorder (MBD) associated with eosinophilia. Translocation t(1;5)(q23;q33) that forms a PDE4DIP-PDGFRB fusion protein.

#### Sequence similarities

Belongs to the protein kinase superfamily. Tyr protein kinase family. CSF-1/PDGF receptor  $\,$ 

subfamily.

Contains 5 lg-like C2-type (immunoglobulin-like) domains.

Contains 1 protein kinase domain.

### Post-translational


modifications

Autophosphorylated. Dephosphorylated by PTPRJ at Tyr-751, Tyr-857, Tyr-1009 and Tyr-1021.

**Cellular localization** 

Membrane.

#### **Images**



Western blot - Anti-PDGFR beta (phospho Y1009) antibody [EP2137Y] (ab108386)

**All lanes :** Anti-PDGFR beta (phospho Y1009) antibody [EP2137Y] (ab108386) at 1/10000 dilution

Lane 1: NIH3T3 cell lysate, untreated

Lane 2: NIH3T3 cell lysate, treated with PDGF

Predicted band size: 124 kDa

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

#### Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

· Guarantee only valid for products bought direct from Abcam or one of our authorized distributors