abcam

Product datasheet

Anti-PITX3/PTX3 antibody ab106827

1 Image

Overview

Product name Anti-PITX3/PTX3 antibody

Description Goat polyclonal to PITX3/PTX3

Host species Goat

Specificity ab106827 is not expected to cross-react with PITX1 and PITX2.

Tested applications Suitable for: WB

Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat, Sheep, Cow, Dog

Immunogen Synthetic peptide corresponding to Human PITX3/PTX3 aa 29-40 (internal sequence).

Sequence:

PEHGCKGQEHSD

Database link: NP 005020.1

Run BLAST with
Run BLAST with

Positive control Human Brain (Cerebellum and Cerebral Cortex) lysates.

General notes

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Storage buffer pH: 7.30

Preservative: 0.02% Sodium azide

Constituents: Tris buffered saline, 0.5% BSA

Purity Immunogen affinity purified

Purification notes ab106827 was purified from goat serum by ammonium sulphate precipitation followed by antigen

1

affinity chromatography using the immunizing peptide.

Clonality Polyclonal

Isotype IgG

Applications

The Abpromise quarantee

Our Abpromise guarantee covers the use of ab106827 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		Use a concentration of 0.3 - 1 µg/ml. Detects a band of approximately 40 kDa (predicted molecular weight: 32 kDa). 1 hour primary incubation is recommended for this product.

Target

Function

Transcriptional regulator which is important for the differentiation and maintenance of meso-diencephalic dopaminergic (mdDA) neurons during development. In addition to its importance during development, it also has roles in the long-term survival and maintenance of the mdDA neurons. Activates NR4A2/NURR1-mediated transcription of genes such as SLC6A3, SLC18A2, TH and DRD2 which are essential for development of mdDA neurons. Acts by decreasing the interaction of NR4A2/NURR1 with the corepressor NCOR2/SMRT which acts through histone deacetylases (HDACs) to keep promoters of NR4A2/NURR1 target genes in a repressed deacetylated state. Essential for the normal lens development and differentiation. Plays a critical role in the maintenance of mitotic activity of lens epithelial cells, fiber cell differentiation and in the control of the temporal and spatial activation of fiber cell-specific crystallins. Positively regulates FOXE3 expression and negatively regulates PROX1 in the anterior lens epithelium, preventing activation of CDKN1B/P27Kip1 and CDKN1C/P57Kip2 and thus maintains lens epithelial cells in cell cycle.

Tissue specificity Involvement in disease

Highly expressed in developing eye lens.

Defects in PITX3 are a cause of cataract autosomal dominant (ADC) [MIM:604219]. Cataract is an opacification of the crystalline lens of the eye that frequently results in visual impairment or blindness. Opacities vary in morphology, are often confined to a portion of the lens, and may be static or progressive. In general, the more posteriorly located and dense an opacity, the greater the impact on visual function. Cataract is the most common treatable cause of visual disability in childhood.

Defects in PITX3 are a cause of anterior segment mesenchymal dysgenesis (ASMD) [MIM:107250]; also known as anterior segment ocular dysgenesis (ASOD). ASMD consists of a range of developmental defects in structures at the front of the eye, resulting from abnormal migration or differentiation of the neural crest derived mesenchymal cells that give rise to the cornea, iris, and other components of the anterior chamber during eye development. Mature anterior segment anomalies are associated with an increased risk of glaucoma and corneal opacity. Conditions falling within the phenotypic spectrum include aniridia, posterior embryotoxon, Axenfeld anomaly, Reiger anomaly/syndrome, Peters anomaly, and iridogoniodysgenesis. Defects in PITX3 are the cause of cataract posterior polar type 4 (CTPP4) [MIM:610623]. A subcapsular opacity, usually disk-shaped, located at the back of the lens. It can have a marked effect on visual acuity. Some patients affected by cataract posterior polar type 4 can present a


severe phenotype including microphthalmia and neurological dysfunction.

Sequence similarities Belongs to the paired homeobox family. Bicoid subfamily.

Contains 1 homeobox DNA-binding domain.

Cellular localization Nucleus.

Images



Anti-PITX3/PTX3 antibody (ab106827) at 1 μg/ml + Human cerebellum lysate in RIPA buffer at 35 μg

Developed using the ECL technique.

Predicted band size: 32 kDa **Observed band size:** 40 kDa

Primary incubation was 1 hour.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- · Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors