abcam

Product datasheet

Anti-PR3 antibody [EPR6277] ab133613

Recombinant RabMAb

4 References 4 Images

Overview

Product name Anti-PR3 antibody [EPR6277]

Description Rabbit monoclonal [EPR6277] to PR3

Host species Rabbit

Tested applications Suitable for: WB, IHC-P

Unsuitable for: Flow Cyt,ICC/IF or IP

Reacts with: Human Species reactivity

Immunogen Synthetic peptide. This information is proprietary to Abcam and/or its suppliers.

Positive control HL60 and Human spleen lysates; Human kidney tissue

General notes This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity

- Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

Mouse, Rat: We have preliminary internal testing data to indicate this antibody may not react with


these species. Please contact us for more information.

Properties

Form Liquid

Storage instructions Shipped at 4°C. Store at -20°C. Stable for 12 months at -20°C.

 $K_D = 5.30 \times 10^{-11} M$ Dissociation constant (K_D)



Learn more about K_D

Storage buffer pH: 7.20

Preservative: 0.01% Sodium azide

Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture

supernatant

Purity Protein A purified

Clonality Monoclonal
Clone number EPR6277

Isotype IgG

Applications

The Abpromise guarantee Our Abpromise guarantee covers the use of ab133613 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/10000. Detects a band of approximately 29 kDa (predicted molecular weight: 27 kDa).
IHC-P		1/100 - 1/250. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.

Application notes Is unsuitable for Flow Cyt,ICC/IF or IP.

Target

Function Polymorphonuclear leukocyte serine protease that degrades elastin, fibronectin, laminin,


vitronectin, and collagen types I, III, and IV (in vitro) and causes emphysema when administered by

tracheal insufflation to hamsters.

Sequence similaritiesBelongs to the peptidase S1 family. Elastase subfamily.

Contains 1 peptidase S1 domain.

Images



Western blot - Anti-PR3 antibody [EPR6277] (ab133613)

All lanes : Anti-PR3 antibody [EPR6277] (ab133613) at 1/1000 dilution

Lane 1: HL60 lysate


Lane 2: Human spleen lysate

Lysates/proteins at 10 µg per lane.

Secondary

All lanes: HRP labelled goat anti-rabbit at 1/2000 dilution


Predicted band size: 27 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-PR3 antibody [EPR6277] (ab133613)

Immunohistochemical analysis of PR3 in paraffin embedded Human kidney tissue labelled with ab133613 at a 1/100 dilution.

Perform heat mediated antigen retrieval before commencing with IHC staining protocol.



Ol-RD Scanning - Anti-PR3 antibody [EPR6277] (ab133613)

Equilibrium disassociation constant (K_D)

Learn more about K_D

Click here to learn more about K_D



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- · Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors