


Product datasheet

Anti-PRMT7 antibody [EPR13489] - N-terminal ab179822

Recombinant **RabMAb**

[3 References](#) [2 Images](#)

Overview

Product name	Anti-PRMT7 antibody [EPR13489] - N-terminal
Description	Rabbit monoclonal [EPR13489] to PRMT7 - N-terminal
Host species	Rabbit
Tested applications	Suitable for: WB Unsuitable for: Flow Cyt, ICC/IF, IHC-P or IP
Species reactivity	Reacts with: Human Predicted to work with: Mouse, Rat 
Immunogen	Synthetic peptide within Human PRMT7 aa 1-100 (Cysteine residue). The exact sequence is proprietary. Database link: Q9NVM4
Positive control	HeLa, 293T, HepG2 and MCF-7 cell lysates
General notes	This product is a recombinant monoclonal antibody, which offers several advantages including: <ul style="list-style-type: none"> - High batch-to-batch consistency and reproducibility - Improved sensitivity and specificity - Long-term security of supply - Animal-free production For more information see here . Our RabMAb [®] technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to RabMAb[®] patents .

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C long term. Avoid freeze / thaw cycle.
Storage buffer	pH: 7.20 Preservative: 0.01% Sodium azide Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine), 0.5% BSA
Purity	Protein A purified
Clonality	Monoclonal

Clone number EPR13489

Isotype IgG

Applications

The Abpromise guarantee Our **Abpromise guarantee** covers the use of ab179822 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/10000. Predicted molecular weight: 78 kDa.

Application notes Is unsuitable for Flow Cyt, ICC/IF, IHC-P or IP.

Target


Function Arginine methyltransferase that can both catalyze the formation of omega-N monomethylarginine (MMA) and symmetrical dimethylarginine (sDMA), with a preference for the formation of MMA. Specifically mediates the symmetrical dimethylation of arginine residues in the small nuclear ribonucleoproteins Sm D1 (SNRPD1) and Sm D3 (SNRPD3); such methylation being required for the assembly and biogenesis of snRNP core particles. Specifically mediates the symmetric dimethylation of histone H4 'Arg-3' to form H4R3me2s. Plays a role in gene imprinting by being recruited by CTCFL at the H19 imprinted control region (ICR) and methylating histone H4 to form H4R3me2s, possibly leading to recruit DNA methyltransferases at these sites. May also play a role in embryonic stem cell (ESC) pluripotency. Also able to mediate the arginine methylation of histone H2A and myelin basic protein (MBP) in vitro; the relevance of such results is however unclear in vivo.

Involvement in disease Defects in PRMT7 are associated with mild intellectual disability, obesity and symmetrical shortening of the digits and posterior metacarpals and metatarsals. The phenotype is a phenocopy of pseudohypoparathyroidism (PHP).

Sequence similarities Belongs to the class I-like SAM-binding methyltransferase superfamily. Protein arginine N-methyltransferase family. PRMT7 subfamily.
Contains 2 SAM-dependent MTase PRMT-type domains.

Cellular localization Cytoplasm, cytosol. Nucleus.

Images



Western blot - Anti-PRMT7 antibody [EPR13489] - N-terminal (ab179822)

All lanes : Anti-PRMT7 antibody [EPR13489] - N-terminal (ab179822) at 1/1000 dilution

Lane 1 : HeLa cell lysate

Lane 2 : 293T cell lysate

Lane 3 : HepG2 cell lysate

Lane 4 : MCF-7 cell lysate

Lysates/proteins at 10 µg per lane.

Predicted band size: 78 kDa

Why choose a recombinant antibody?



Research with confidence
Consistent and reproducible results



Long-term and scalable supply
Recombinant technology



Success from the first experiment
Confirmed specificity



Ethical standards compliant
Animal-free production

Anti-PRMT7 antibody [EPR13489] - N-terminal (ab179822)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors