# abcam

## Product datasheet

## Anti-Ubiquitin antibody [1B4-UB] ab122

## \* ★ ★ ★ ★ 1 Abreviews 4 References 1 Image

#### Overview

Product name Anti-Ubiquitin antibody [1B4-UB]

**Description** Mouse monoclonal [1B4-UB] to Ubiquitin

Host species Mouse

**Tested applications** Suitable for: ℍC-P

Species reactivity Reacts with: Human

Immunogen Fusion protein corresponding to Bovine Ubiquitin. Ubiquitin from bovine erythrocytes conjugated

to bovine gamma globulin.

Positive control Human hypophysis

**General notes**The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

**Properties** 

Form Liquid

Storage instructions Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -

80°C. Avoid freeze / thaw cycle.

Storage buffer Preservative: 0.1% Sodium azide

**Purity** Protein G purified

**Purification notes** Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

**Clonality** Monoclonal

Clone number 1B4-UB

lsotype lgG1

**Light chain type** unknown

1

#### **Applications**

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab122 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/500 - 1/1000.

#### **Target**


#### Relevance

Function: Ubiquitin exists either covalently attached to another protein, or free (unanchored). When covalently bound, it is conjugated to target proteins via an isopeptide bond either as a monomer (monoubiquitin), a polymer linked via different Lys residues of the ubiquitin (polyubiquitin chains) or a linear polymer linked via the initiator Met of the ubiquitin (linear polyubiquitin chains). Polyubiquitin chains, when attached to a target protein, have different functions depending on the Lys residue of the ubiquitin that is linked: Lys-6-linked may be involved in DNA repair; Lys-11linked is involved in ERAD (endoplasmic reticulum-associated degradation) and in cell-cycle regulation; Lys-29-linked is involved in lysosomal degradation; Lys-33-linked is involved in kinase modification; Lys-48-linked is involved in protein degradation via the proteasome; Lys-63-linked is involved in endocytosis, DNA-damage responses as well as in signaling processes leading to activation of the transcription factor NF-kappa-B. Linear polymer chains formed via attachment by the initiator Met lead to cell signaling. Ubiquitin is usually conjugated to Lys residues of target proteins, however, in rare cases, conjugation to Cys or Ser residues has been observed. When polyubiquitin is free (unanchored-polyubiquitin), it also has distinct roles, such as in activation of protein kinases, and in signaling. Similarity: Belongs to the ubiquitin family. Contains 3 ubiquitinlike domains.

#### **Cellular localization**

Cell Membrane, Cytoplasmic and Nuclear

### **Images**



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Ubiquitin antibody [1B4-UB] (ab122)

ab122 staining Ubiquitin in the tissue of human hypophysis by Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections).

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

## Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- · Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors