abcam

Product datasheet

Anti-Uroplakin III antibody ab82173

3 References 2 Images

Overview

Product name Anti-Uroplakin III antibody

Description Rabbit polyclonal to Uroplakin III

Host species Rabbit

Tested applications Suitable for: IHC-P, WB

Species reactivity Reacts with: Human

Immunogen Synthetic peptide within Human Uroplakin III aa 250 to the C-terminus (C terminal). The exact

sequence is proprietary. Database link: **Q75631**

Positive control Human Bladder

General notes

This product is FOR RESEARCH USE ONLY. For commercial use, please contact

partnerships@abcam.com.

The Life Science industry has been in the grips of a reproducibility crisis for a number of years.

Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets

your needs before purchasing.

If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be

found below, along with publications, customer reviews and Q&As

Properties

Form Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Storage buffer pH: 7.60

Preservative: 0.1% Sodium azide Constituents: PBS, 1% BSA

Purity Immunogen affinity purified

Clonality Polyclonal

Isotype IgG

1

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab82173 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/100. Perform heat mediated antigen retrieval before commencing with IHC staining protocol.
WB		Use at an assay dependent concentration.

Target

Function

Component of the asymmetric unit membrane (AUM); a highly specialized biomembrane elaborated by terminally differentiated urothelial cells. May play an important role in AUM-cytoskeleton interaction in terminally differentiated urothelial cells. It also contributes to the formation of urothelial glycocalyx which may play an important role in preventing bacterial adherence.

Tissue specificity

Expressed in ureter.

Involvement in disease

Defects in UPK3A are a cause of renal adysplasia (RADYS) [MIM:191830]; also known as renal agenesis or renal aplasia. Renal agenesis refers to the absence of one (unilateral) or both (bilateral) kidneys at birth. Bilateral renal agenesis belongs to a group of perinatally lethal renal diseases, including severe bilateral renal dysplasia, unilateral renal agenesis with contralateral dysplasia and severe obstructive uropathy.

Sequence similarities


Belongs to the uroplakin-3 family.

Cellular localization

Endoplasmic reticulum membrane. Heterodimer formation with UPK1B is a prerequisite to exit


out of the endoplasmic reticulum (ER).

Images



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Uroplakin III antibody (ab82173)

Formalin-fixed, paraffin-embedded section of Human bladder stained with ab82173 at 1/100 dilution. Incubate primary antibody (ab82173) for 10 minutes at RT.



Anti-Uroplakin III antibody (ab82173) at 1/100 dilution + lysate prepared from bladder

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- · Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors