# abcam

# Product datasheet

# Anti-WDR5 antibody [EPR11349(B)] ab156012

Recombinant RabMAb

1 References 2 Images

Overview

**Immunogen** 

**Product name** Anti-WDR5 antibody [EPR11349(B)]

**Description** Rabbit monoclonal [EPR11349(B)] to WDR5

**Host species** Rabbit

Suitable for: WB **Tested applications** 

Unsuitable for: Flow Cyt,ICC/IF,IHC-P or IP

Species reactivity Reacts with: Human

Predicted to work with: Mouse, Rat

Synthetic peptide within Human WDR5. The exact sequence is proprietary.

Positive control HeLa, A549 and Saos-2 cell lysates

**General notes** This product is a recombinant monoclonal antibody, which offers several advantages including:

- High batch-to-batch consistency and reproducibility

- Improved sensitivity and specificity - Long-term security of supply

- Animal-free production

For more information see here.

Our RabMAb® technology is a patented hybridoma-based technology for making rabbit monoclonal antibodies. For details on our patents, please refer to **RabMAb**® **patents**.

**Properties** 

**Form** Liquid

Storage instructions Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

Storage buffer pH: 7.2

Preservative: 0.01% Sodium azide

Constituents: 9% PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA, 50% Tissue culture

supernatant

**Purity** Protein A purified

Clonality Monoclonal Clone number EPR11349(B)

**Isotype** IgG

# **Applications**

#### The Abpromise guarantee

Our <u>Abpromise guarantee</u> covers the use of ab156012 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
WB		1/1000 - 1/10000. Predicted molecular weight: 36 kDa.

# **Application notes**

Is unsuitable for Flow Cyt,ICC/IF,IHC-P or IP.

# **Target**

			n

Contributes to histone modification. May position the N-terminus of histone H3 for efficient trimethylation at 'Lys-4'. As part of the MLL1/MLL complex it is involved in methylation and dimethylation at 'Lys-4' of histone H3. H3 'Lys-4' methylation represents a specific tag for epigenetic transcriptional activation. As part of the NSL complex it may be involved in acetylation of nucleosomal histone H4 on several lysine residues. May regulate osteoblasts differentiation.

#### Sequence similarities

Belongs to the WD repeat WDR5/wds family.


Contains 7 WD repeats.

#### **Cellular localization**

Nucleus.

# Images

(ab156012)



All lanes: Anti-WDR5 antibody [EPR11349(B)] (ab156012) at

1/1000 dilution

Lane 1 : HeLa cell lysate
Lane 2 : A549 cell lysate
Lane 3 : Saos-2 cell lysate

Lysates/proteins at 10 µg per lane.

# Secondary

All lanes: HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 36 kDa



Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

# Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- · We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <a href="https://www.abcam.com/abpromise">https://www.abcam.com/abpromise</a> or contact our technical team.

#### Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors