

Product datasheet

Anti-ZNF653 antibody ab121769

3 Images

Overview

Product name	Anti-ZNF653 antibody
Description	Rabbit polyclonal to ZNF653
Host species	Rabbit
Tested applications	Suitable for: IHC-P, WB, ICC/IF
Species reactivity	Reacts with: Human
Immunogen	antigen sequence: NVNCLKNVVIWYEDHKHRCP YEPHLAELDP TFGLYTTAVW QCEAGHRYFQ DLHSPLKPLS DSDPDSDKVG NGLVAGSSDS SSSGS, corresponding to amino acids 119-203 of Human ZNF653. Run BLAST with Expasy Run BLAST with NCBI
Positive control	IHC: Human cerebral cortex tissue WB: RT 4 and U 251 MG lysate ICC/IF: human cell line U-2 OS
General notes	<p>The Life Science industry has been in the grips of a reproducibility crisis for a number of years. Abcam is leading the way in addressing this with our range of recombinant monoclonal antibodies and knockout edited cell lines for gold-standard validation. Please check that this product meets your needs before purchasing.</p> <p>If you have any questions, special requirements or concerns, please send us an inquiry and/or contact our Support team ahead of purchase. Recommended alternatives for this product can be found below, along with publications, customer reviews and Q&As</p>

Properties

Form	Liquid
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.
Storage buffer	pH: 7.20 Preservative: 0.02% Sodium azide Constituents: 59% PBS, 40% Glycerol (glycerin, glycerine)
Purity	Immunogen affinity purified
Clonality	Polyclonal
Isotype	IgG

Applications

The Abpromise guarantee

Our **Abpromise guarantee** covers the use of ab121769 in the following tested applications.


The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Application	Abreviews	Notes
IHC-P		1/50 - 1/200. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
WB		Use a concentration of 0.04 - 0.4 µg/ml.
ICC/IF		Use a concentration of 0.25 - 2 µg/ml.

Target


Function	Transcriptional repressor. May repress NR5A1, PPARG, NR1H3, NR4A2, ESR1 and NR3C1 transcriptional activity.
Tissue specificity	Highly expressed in testis, cerebellum, temporal lobe, hippocampus and the adrenal gland. Moderately expressed in spleen, uterus, thymus, pancreas, kidney, stomach and rectum.
Sequence similarities	Belongs to the krueppel C2H2-type zinc-finger protein family. Contains 5 C2H2-type zinc fingers.
Cellular localization	Nucleus.

Images




Immunocytochemistry/ Immunofluorescence - Anti-ZNF653 antibody (ab121769)

Immunocytochemistry/immunofluorescence analysis of human cell line U-2 OS labelling ZNF653 with ab121769 at 2 µg/mL or dilution



ab121769 at 1/50 dilution staining ZNF653 in paraffin embedded Human cerebral cortex tissue by Immunohistochemistry.

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) - Anti-ZNF653 antibody (ab121769)



All lanes : Anti-ZNF653 antibody (ab121769) at 1/250 dilution

Lane 1 : RT 4 cell lysate

Lane 2 : U 251 MG cell lysate

Lane 3 : Human plasma lysate

Lane 4 : Human liver tissue lysate

Lane 5 : Human tonsil tissue lysate

Developed using the ECL technique.

Western blot - Anti-ZNF653 antibody (ab121769)

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit <https://www.abcam.com/abpromise> or contact our technical team.

Terms and conditions

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors