abcam

Product datasheet

Recombinant Human CRIF1 protein ab113863

1 Image

Description

Product name Recombinant Human CRIF1 protein

Purity > 90 % SDS-PAGE.

ab113863 was purified by using conventional chromatography techniques.

Expression system Escherichia coli

Accession Q8TAE8

Protein length Protein fragment

Animal free No

Nature Recombinant

Species Human

Sequence MGSSHHHHHHSSGLVPRGSHMPRWQLGPRYAAKQFAR

YGAASGVVPGSLW

PSPEQLRELEAEEREWYPSLATMQESLRVKQLAEEQKRR

EREQHIAECMA

KMPQMIVNWQQQQRENWEKAQADKERRARLQAEAQELL

GYQVDPRSARFQ

ELLQDLEKKERKRLKEEKQKRKKEARAAALAAAVAQDPA

ASGAPSS

Predicted molecular weight 23 kDa including tags

Amino acids 48 to 222

Tags His tag N-Terminus

Specifications

Our Abpromise guarantee covers the use of ab113863 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

Applications SDS-PAGE

Mass Spectrometry

Mass spectrometry MALDI-TOF

Form Liquid

Additional notes Previously labelled as GADD45GIP1.

1

Preparation and Storage

Stability and Storage

Shipped at 4°C. Store at +4°C short term (1-2 weeks). Upon delivery aliquot. Store at -20°C or -80°C. Avoid freeze / thaw cycle.

pH: 8.00

Constituents: 0.03% DTT, 0.32% Tris HCl, 40% Glycerol (glycerin, glycerine), 1.17% Sodium

chloride

General Info

Function Acts as a negative regulator of G1 to S cell cycle phase progression by inhibiting cyclin-

dependent kinases. Inhibitory effects are additive with GADD45 proteins but occurs also in the absence of GADD45 proteins. Acts as a repressor of the orphan nuclear receptor NR4A1 by inhibiting AB domain-mediated transcriptional activity. May be involved in the hormone-mediated

regulation of NR4A1 transcriptional activity.


Tissue specificity Widely expressed. Highly expressed in the thyroid gland, heart, lymph nodes, trachea and adrenal

tissues. Expressed at lower level in liver skeletal muscle, kidney, pancreas, testis, ovary and

stomach. Barely detectable in adrenal adenoma and papillary thyroid cancer.

Cellular localization Nucleus.

Images



ab113863 at 3 µg analysed by 15% SDS-PAGE.

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"

Our Abpromise to you: Quality guaranteed and expert technical support

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit https://www.abcam.com/abpromise or contact our technical team.

Terms and conditions

• Guarantee only valid for products bought direct from Abcam or one of our authorized distributors